SUBJECT INDEX.

[References to the papers read before the Institute are indicated by the word *Paper* following the page number. The letter *P.* denotes a reference in Section I. of the Journal which contains the reports of the proceedings of meetings, the papers read, and the discussions thereon. The letter *A.* denotes a reference to the section dealing with abstracts.

Indexing of Alloy Steels and Other Alloys. In the indexing of alloy steels, carbon and iron are ignored and the alloying elements contained in the steel are arranged in alphabetical order; for example, all references to nickel-chromium-molybdenum steel will be found under the heading chromium-molybdenum-nickel steel. In the indexing of other alloys, carbon and iron, when present, are included in the title; iron, when present, is always mentioned first and the other elements follow in alphabetical order, carbon being in all cases mentioned last. Examples: "Iron-silicon-carbon alloys" and "iron-chromium-nickel-carbon alloys."]

Abrasion, see *Wear.*
Absorptiometer, Spekker, 116*A.*
Acetylene, distributing systems, 158*A.*
Acid Bessemer Steel, compared with open-hearth steel, 86*A.*
Acid Electric Furnace Practice, 105*A.*
Acid Electric Furnaces :
control of refining slags, 105*A.*
iron oxide content of slag and metal, 105*A.*
Adhesion Test, B.N.F. for protective coatings, 131*A.*
Ageing, high-tensile steel, 162*A.*
Air Conditioning, see *Blast, drying.*
Air Heaters, direct-fired, 96*A.*
Air Preheater, heat transfer, 96*A.*
Aircraft Engine Exhaust Systems, stainless steel for, 57*A.*
Aircraft Parts :
corrosion, 136*A.*
phosphatising, 136*A.*
use of steel castings, 166*A.*
zinc plating, 131*A.*
Aircraft Steel, specifications, 57*A.*
Aircraft Tubes :
heat treatment, 81*A.*
properties, 57*A.*
Alloys :
calcium-silicon, deoxidation of calcium-silicon alloys, 105*A.*
copper nickel, passivity, 91*A.*
copper-nickel, use for cladding steel, 49*A.*
iron-aluminium-cobalt-copper, magnetic properties, 54*A.*
iron-manganese, effect of hydrogen, 164*A.*
iron-molybdenum-nickel, passivity, 91*A.*
iron-nickel, electrodeposition, 131*A.*
iron silicon, magnetic properties, 88*A.*, 162*A.*
iron-silicon, magnetisation, 93*P.*
lead-tin-zinc, use for repairing galvanised coatings, 131*A.*
magnesium, technical cohesive strength at low temperatures, 160*A.*
Aluminium :
consumption in American steel industry, 76*A.*
creep, 88*A.*
Aluminium (*contd.*)—
deoxidation of electric steel, 105*A.*
effect in chromium magnet steel, 54*A.*
effect in steel, hardenability, 126*A.*
for steel making, 104*A.*
American Laundry Machinery Co., foundry plant, 75*A.*
American Society for Testing Materials, specification for welding electrodes, 48*A.*
American Steel and Wire Co., blast-furnace hearth construction, 120*A.*
American Welding Society, specification for welding electrodes, 48*A.*
Ammeters, 79*A.*
Ammogas, 109*A.*
Amplidyne, use in steel plants, 10*A.*
Analysis, 63*A*, 116*A*, 169*A.*
blast-furnace slag, 116*A.*
coal, 66*A.*
coal, British standard methods, 117*A.*
electro-chemical methods, 66*A.*
micro, 66*A*, 169*A.*
spectrum, 116*A*, 117*A*, 169*A.*
spectrum, accessory equipment, 64*A.*
spectrum, equipment for steelworks, 65*A.*
spectrum, flat surface sparking technique, 64*A.*
spectrum, plate calibration, 64*A.*, 65*A.*
spectrum, preparation of materials for, 63*A.*
spectrum, use of briquetted specimens, 64*A.*
spectrum, use of multiplier photo-tubes, 63*A.*
use of polarograph, 66*A.*
use of potentiometric titration apparatus, 66*A.*
X-ray diffraction, preparation of materials for, 63*A.*
Annealing :
alloy steel in controlled atmospheres, 108*A.*
chromium-molybdenum-nickel steel, 128*A.*
high-carbon steel in protective atmospheres, 127*A.*
low-temperature, effect on steel, Lüders lines, 159*A.*

Annealing-Furnace Covers, production, 44*A*.
Annealing Furnaces, 108*A*.
refractory materials, 95*A*.
Annealing Temperature, effect on cast steel, 165*A*.
Anthracite, determination of volatile matter, 66*A*.
Antimony, effect in chromium magnet steel, 54*A*.
Appleby-Frodingham Works, blast-furnace practice, 453*P*., 141*A*.
Arc Furnaces, see *Electric Furnaces*.
Arcos Welding Electrode, 14*A*.
Arkon Gas Flow Recorder, 35*A*.
Armour Plate :
heat treatment, 153*A*.
pressure quenching, 48*A*.
Arsenic, effect in chromium magnet steel, 54*A*.
Ash, determination in coal and coke, 66*A*.
Assel Cross-Roll Mill, 10*A*.
Associates, election, 3*P*.
Atlas Steels, Ltd. :
research laboratories, 89*A*.
rolling-mill plant, 107*A*.
temperature measuring and fuel control systems, 151*A*.
Atmospheres :
controlled, 47*A*., 79*A*., 80*A*., 81*A*., 108*A*., 109*A*.
electric furnace, effect on hydrogen and nitrogen in steel, 106*A*.
protective, annealing of high-carbon steel, 127*A*.
Atomic Structure, relation to hardness, 29*A*.
Austenite, decomposition in steel, 168*A*.
Australia :
metallurgical research, 135*A*.
moulding sand in, 102*A*.
Automobile Parts :
heat treatment, 153*A*.
steels for, 57*A*.
Autumn Meeting, proceedings, 1*P*.
Axles :
steels for, 27*A*.
tubular, production, 44*A*.

Bainite, formation in steel, 168*A*.
Bar Mills, 46*A*., 150*A*.
Bars, reinforcement, properties, 166*A*.
Basic Electric Furnaces :
control of phosphorus and sulphur, 105*A*.
production of structural steel, 76*A*.
Basic Electric Steel, deoxidation, 105*A*.
Basic Electric Steel Castings, 105*A*.
Basic Linings, for open-hearth furnaces, 1*A*.
Basic Open-Hearth Process, removal of nitrogen, 123*A*.
Basic Open-Hearth Steel, hardenability, effect of nitrogen, 112*A*.
Basic Slag :
citric-acid solubility, 147*A*.
constitution, 69 *Paper*.
effect of chromic oxide, 103*A*.
rôle in dephosphorisation of steel, 77*A*.
Bearings :
lubrication, 45*A*.
rolling-mill, 149*A*.
wooden, 45*A*.
Bears, blast-furnace, removal, 71*A*.
Bend Tests :
rails, 24*A*.
welds, 49*A*.
Bendix Aviation Corporation, heat-treatment plant, 80*A*.
Bentonite, effect in moulding sand, 39*A*., 73*A*.
Benzole Plants, corrosion, 136*A*.
Bessemer Steel :
acid, compared with open-hearth steel, 86*A*.
effect of nitrogen, 86*A*.
hardenability, effect of nitrogen, 112*A*.
killed, production, 146*A*.
properties at high-temperatures, 26*A*.
Bethlehem Steel Co. :
casting of ingot moulds, 122*A*.
electric furnace practice, 105*A*.
method for cooling blast-furnace tap-holes, 121*A*.
plate-heating furnaces, 148*A*.
relining of blast-furnace, 100*A*.
Bibliography, 30*A*., 92*A*., 136*A*.
effect of peening of welds, 82*A*.
properties of welds at low temperatures, 51*A*.
protective coatings, 131*A*.
strain measurement, 87*A*.
Billet Mills, 125*A*.
Birdsboro Steel Foundry and Machine Co., plant, 5*A*.
Blast :
control in cupolas, 3*A*.
drying, 141*A*.
oxygen-enriched, 141*A*.
Blast-Furnace Coke, properties, 99*A*., 142*A*.
Blast-Furnace Flux, calcination rates and sizing, 99*A*.
Blast-Furnace Gas :
cleaning, 99*A*.
cleaning, Brassert washer, 97*A*.
cleaning, Pease-Anthony scrubber, 99*A*.
use under boilers, 33*A*.
Blast-Furnace Plant, Republic Steel Corporation, 120*A*.
Blast-Furnace Practice, 359 *Paper*.
Appleby-Frodingham Works, 453*P*., 141*A*.
effect of coke quality, 385*P*., 2*A*., 98*A*.
effect of ore beneficiation, 367*P*.
use of carbon-efficiency principles, 363*P*., 369*P*., 385*P*.
Blast-Furnace Slag, analysis, 116*A*.
Blast-Furnace Stoves :
failure of shells, 98*A*.
operation, 35*A*.
refractory materials, 142*A*., 428*P*.
temperature control of domes, 98*A*.
Blast-Furnaces :
acid burdening, 367*P*.
bears, removal, 71*A*.
blast, drying, 141*A*.
blast, oxygen-enriched, 141*A*.

Blast-Furnaces (*contd.*)—
blowing-in, 120*A*.
blowing plant, use of gas turbines, 121*A*.
burden, total heat required for reduction, 360*P*.
burdening, 417*P*., 424*P*.
charging, 399*P*., 409*P*.
coke consumption, 379*P*.
coke consumption, effect of slag volume, 366*A*.
construction, 100*A*.
design, 99*A*., 141*A*.
dimensions, 35*A*., 99*A*.
direct or indirect reduction, 142*A*.
effect of size on slag basicity, 142*A*.
function of coke charged, 359*P*.
gas equilibrium, 361*P*.
gas sampling, 99*A*.
hearth breakouts, 397*P*., 403*P*., 406*P*., 407*P*., 413*P*., 143*A*.
hearth construction, 120*A*.
hearths, carbonaceous, 99*A*.
heat balance, 372*P*.
heat requirements, 364*P*.
increase of capacity, 71*A*.
linings, 70*A*.
linings, temperature gradients, 98*A*.
moisture control, 2*A*., 71*A*.
production of high-sulphur iron, 98*A*.
production of titaniferous pig iron, 121*A*.
refractory materials, 426*P*., 1*A*., 70*A*., 142*A*.
relining, 100*A*.
scaffolding, 142*A*.
slag control, 142*A*.
slag control by lime through tuyeres, 99*A*.
superstructure, upward movement, 143*A*.
tap-holes, cooling, 121*A*.
tops, lubrication, 121*A*.
use of high-magnesia slags, 98*A*.
use of scrap, 98*A*., 100*A*.
use of sinter, 365*P*., 417*P*., 100*A*., 141*A*.
Blending :
coal for coke manufacture, 382*P*.
iron-ore, Robins-Messiter bedding plant, 141*A*.
Blooming Mills, see *Cogging Mills*.
B.N.F. Adhesion Test, for protective coatings, 131*A*.
Bofors Gun Tables, production, 78*A*.
Boiler Plant, Weirton Steel Co., 95*A*.
Boiler Tubes :
heat transmission, 96*A*.
production of headers for, 43*A*.
Boiler Water, chemical treatment, 29*A*.
Boilers :
caustic embrittlement, 62*A*., 115*A*.
feedwater treatment, 95*A*.
insulation, 70*A*.
use of blast-furnace gas in combination with other fuels, 33*A*.
waste-heat, 139*A*.
waste-heat, Sinuflo, 70*A*.
welding, 157*A*.
Bolton and Williams Colorimeter, 116*A*.
Bombs, forging, 148*A*.
Bonderised Sheets, spot-welding, 15*A*.
Bonderising, 83*A*., 85*A*.
development, 21*A*.
Bonding Properties, core sands, effect of petroleum extracts and linseed oil, 49 *Paper*.
Book Notices :
Special and Alloy Steel Committee, "A Metallurgical Study of German and Italian Aircraft Parts," 67*A*.
Street, A., and W. Alexander, "Metals in the Service of Man," 68*A*.
Underwood, L. R., "Roll-Neck Bearings," 92*A*.
United States Steel Corporation, "Atlas of Isothermal Transformation Diagrams," 68*A*.
Boron :
effect in malleable cast iron, 102*A*.
effect in steel, 165*A*.
Bower-Barff Process, 83*A*.
Brake Shoes, centrifugal casting, 146*A*.
Brassert Gas Washer, 97*A*.
Brazil, mineral resources, 138*A*.
Brazing :
induction, 47*A*.
induction, carbide tools, 17*A*.
tool steel, 17*A*.
Brickwork, safety factor, 22*A*.
Brinell Hardness, relation to Vickers hardness, 162*A*.
Briquettes :
exothermic, for adding elements to steel, 36*A*.
for cupola lighting and ladle drying, 70*A*.
Brittleness :
hot, cast steel, 55*A*.
temper, structural steel, effect of phosphorus, 165*A*.
Browning, steel, 21*A*.
Brunofixed Sheets, spot-welding, 15*A*.
Brunorised Rails, 166*A*.
failure, 24*A*.
Buffalo Foundry and Machine Co., foundry practice, 6*A*.
Bulk Density, distribution in moulds and cores, 36*P*.
Bullard-Dunn Process, 130*A*.
Burners, gas, design, 119*A*.
Bushes, centrifugal casting, 145*A*.

Calcination, blast-furnace flux, 99*A*.
Calcium-Silicon Alloys, deoxidation of electric steel, 105*A*.
Cameras, cinematographic, 28*A*.
Canadian Bureau of Mines, research laboratories, 89*A*.
Canadian Car and Foundry Co., plant, 38*A*.
Canadian Department of Mines and Resources, research laboratories, 167*A*.
Carbide Tools, induction brazing, 17*A*.
Carbides :
chromium, entropies, 72*A*.
chromium, heat contents, 72*A*.
chromium, specific heats, 72*A*.
in iron-manganese-carbon system, 60*A*., 135*A*.
in iron-molybdenum-carbon system, 60*A*.
use for milling cutters, 158*A*.

Carbon :
determination in iron and steel, 116*A*.
effect in cast iron, 114*A*.
effect in chromium magnet steel, 54*A*.
effect in steel, galvanising properties, 131*A*.
effect in steel, hardenability, 126*A*.
in carburised cases, 127*A*.
Carbon Dioxide :
determination in coal, 117*A*.
disintegration by fireclay, 94*A*.
Carbon Monoxide, disintegration of fireclay, 94*A*.
Carbon Steel :
creep, 88*A*.
creep at room temperature, 55*A*.
creep tests, 163*A*.
effects of tempering temperature, 111*A*.
normalised, ferrite in, 126*A*.
properties, 111*A*.
properties at high temperatures, 26*A*.
spot weldability, 15*A*.
technical cohesive strength at low temperatures, 160*A*.
Carbon Steel Tubes, welded, effect of cold-drawing, 23*A*.
Carburisation :
gears, 127*A*.
tool steel, 81*A*.
wire, 152*A*.
Carburised Cases, graphite in, 81*A*.
Carburised Steel, carbon content of case, 127*A*.
Carburising Furnaces, 108*A*.
Carnegie-Illinois Steel Corporation :
electric-furnace plant, 42*A*., 105*A*.
gas-cleaning plant, 99*A*.
Cartridge Cases, steel, drawing, 10*A*., 11*A*., 107*A*.
Case-Hardening, 80*A*.
gears, 12*A*.
Case-Hardening Furnaces, salt bath, 108*A*.
Cast Iron :
adherence of enamels, 85*A*.
analysis, 65*A*.
determination of sulphur, 170*A*.
effect of elements, 114*A*.
effect of graphite, 52*A*.
fatigue strength, 53*A*.
graphite in, 160*A*.
grey, effect of quenching, 87*A*.
grey, properties, 86*A*.
high-duty, production, 37*A*., 144*A*.
high-silicon, properties, 114*A*.
high-silicon, thermal expansion, 134*A*.
inoculation, 144*A*.
isothermal transformation curves, 168*A*.
malleable. See *Malleable Cast Iron.*
Meehanite, production, 4*A*.
Meehanite, use for pressure vessels, 160*A*.
notch sensitivity, 53*A*.
safety factor, 22*A*.
stress relief, 13*A*.
tensile strength, 160*A*.
tinning, 132*A*.
welding, use of cast iron rods, 14*A*.
white, malleablisation, 122*A*.
Cast Steel :
creep, effect of elements, 55*A*.
effect of annealing temperature, 165*A*.
effect of chromium, 165*A*.
effect on cooling rate, 165*A*.
effect of initial structure, 165*A*.
effect of molybdenum, 165*A*.
heat resistance, 55*A*.
hot brittleness, 55*A*.
impact strength, 165*A*.
relation of hardness to yield stress, 133*A*.
safety factor, 22*A*.
weldability, 55*A*.
Casting :
centrifugal, 75*A*., 145*A*.
centrifugal, gun barrels, 104*A*.
continuous, 122*A*.
continuous, Goss process, 39*A*., 40*A*.
continuous, Williams process, 39*A*., 40*A*.
lost-wax method, 39*A*.
Castings :
alloy steel, production, 122*A*.
chromium - molybdenum - nickel steel, heat treatment, 79*A*.
for grinding machines, 8*A*.
for laundry machinery, 75*A*.
for locomotives, 38*A*.
for marine engines, 38*A*.
grey-iron, production, 6*A*.
grey iron, welding, 154*A*.
iron, effect of moulding sand, 73*A*.
iron, shrinkage and porosity, 40*A*.
malleable iron. See *Malleable Iron Castings.*
manganese steel, 153*A*.
manganese steel, for mining machinery, 38*A*.
Meehanite, compared with welded parts, 122*A*.
precision, production, 39*A*.
sound, production, 74*A*.
steel, atmospheric head for, 6*P*.
steel, basic electric, 105*A*.
steel, blind risering, 145*A*.
steel, contraction, 103*A*.
steel, cores for, 8*A*.
steel, crystallisation, 8*P*.
steel, effect of melting conditions, 157 *Paper*.
steel, grain size in, 173*P*.
steel, production, 4*A*., 38*A*., 102*A*.
steel, production in side-blown converters, 339*P*.
steel, production, use of graphite rods on risers, 40*A*.
steel, removal of sprues and risers, 158*A*.
steel, side feeding, 5 *Paper*.
steel, solidification from mould wall, 7*P*.
steel, stress relief, 13*A*.
steel, use for aircraft parts, 166*A*.
steel, water quenching, 153*A*., 154*A*.
steel, welding, 129*A*.
steel, whirlgate head for, 5*P*.
X-ray examination, 167*A*.
Caterpillar Tractor Co., foundry plant, 8*A*.
Cauldrons, cast iron, moulding, 122*A*.
Caustic Embrittlement, boilers, 62*A*., 115*A*.

Cement :
safety factor, 22*A*.
use in moulding sand, 7*A*.
Chains :
molybdenum-nickel steel, production, 43*A*.
production, 43*A*.
Char, low-temperature, use in coke ovens, 140*A*.
Charcoal Iron, use for chilled rolls, 122*A*.
Charcoal Pig Iron, proposed production in Texas, 36*A*.
Chase Brass and Copper Co., drawing of cartridge cases, 11*A*.
Chilled Rolls, use of charcoal iron, 122*A*.
Chromic Oxide :
effect in basic slag, 103*A*.
reduction by carbon, 71*A*.
Chromium :
decarburisation, 71*A*.
determination in iron and steel, 65*A*.
determination, spectrographic methods, 116*A*.
effect in cast steel, 165*A*.
effect in cast steel, creep, 55*A*.
effect in steel, hardenability, 126*A*.
electrodeposition, 21*A*.
plating, 81*A*.
plating, engine cylinder liners, 84*A*.
plating, tools, 83*A*.
Chromium Carbides :
entropies, 72*A*.
heat contents, 72*A*.
specific heats, 72*A*.
Chromium Coatings :
porous, hardness, 113*A*,
properties, 18*A*.
Chromium Magnet Steel, effect of elements, 54*A*.
Chromium-Manganese-Molybdenum-Nickel Steel, properties, 57*A*.
Chromium-Manganese-Molybdenum Steel, effect of cold-rolling, 111*A*.
Chromium-Manganese-Nickel Steel, effect of cold rolling, 111*A*.
Chromium-Manganese-Silicon Steel, effect of tempering temperature, 111*A*.
Chromium-Manganese-Silicon Vanadium Steel, effect of tempering temperature, 111*A*.
Chromium-Manganese-Vanadium Steel Sheets, effect of nickel, 56*A*.
Chromium-Molybdenum-Nickel Steel :
annealing, 128*A*.
annealing in controlled atmospheres, 108*A*.
creep at room temperature, 55*A*., 163*A*.
fatigue, 27*A*.
hardening, 80*A*.
impact tests at low temperatures, 27*A*.
properties, 27*A*., 89*A*., 114*A*.
welded, properties, 156*A*.
Chromium-Molybdenum-Nickel Steel Castings, heat treatment, 79*A*.
Chromium-Molybdenum Steel :
corrosion by steam, 115*A*.
creep, 26*A*.
creep at room temperature, 55*A*.
fatigue at high temperatures, 88*A*.
Chromium-Molybdenum Steel (*contd.*)—
flame-hardening, 47*A*.
for gas turbines, 26*A*.
impact strength, 165*A*.
normalised, ferrite in, 126*A*.
Chromium-Molybdenum Steel Tubes :
fatigue, 53*A*.
induction heating, 127*A*.
Chromium-Nickel Steel :
annealing in controlled atmospheres, 108*A*.
corrosion by steam, 115*A*.
creep at room temperature, 55*A*., 163*A*.
effect of cold rolling, 111*A*.
properties, 26*A*., 86*A*., 134*A*.
spot weldability, 15*A*.
surface film, 81*P*.
use for valves, 163*A*.
Chromium-Nickel-Titanium Steel, creep, 26*A*.
Chromium-Nickel-Titanium-Tungsten-Vanadium Steel, creep, 26*A*.
Chromium-Nickel-Tungsten Steel :
corrosion by steam, 115*A*.
creep, 26*A*.
Chromium-Nickel-Tungsten-Vanadium Steel, creep, 26*A*.
Chromium Steel :
creep at room temperature, 163*A*.
effect of molybdenum and silicon, 134*A*.
fatigue at high temperatures, 88*A*.
impact strength, 165*A*.
production in open-hearth furnaces 103*A*.
weldability, 15*A*.
Chromizing Process, 19*A*.
Clad Steel, use of copper-nickel alloys, 49*A*.
Classification, steel, 134*A*.
Cleaning :
blast-furnace gas, 99*A*.
blast-furnace gas, Brassert washer, 97*A*.
blast-furnace gas, Pease-Anthony scrubber, 99*A*.
coal, 96*A*., 100*A*., 139*A*.
coke-oven gas, 120*A*.
metals, 18*A*., 83*A*., 130*A*.
Coal :
analysis, 66*A*.
analysis, preparation of samples, 66*A*.
blending, 382*P*.
caking, 71*A*.
cleaning, 96*A*., 100*A*., 139*A*.
coking properties, 97*A*.
determination of carbon dioxide, 117*A*.
determination of moisture and ash, 66*A*.
determination of volatile matter, 66*A*.
low-grade, use in boilers, 139*A*.
plasticity, 97*A*.
pressure-gasification, 120*A*.
pulverised, use in metallurgical furnaces, 96*A*., 139*A*.
sampling, 170*A*.
sampling and analysis, British standard methods, 117*A*.
Coal Briquettes, use for cupola lighting and ladle drying, 70*A*.
Coal Dust, effect in moulding sand, 73*A*.
Coated Sheets, welding, 15*A*.
Coating, metals, 18*A*, 83*A*, 130*A*.

Coatings :
black oxide, salt-spray tests, 85*A*.
chromium, porous, hardness, 113*A*.
chromium, properties, 18*A*.
copper, properties, 18*A*.
detearing, 22*A*., 85*A*.
electrodeposited, uniformity of thickness, 19*A*.
enamel, adherence to cast iron, 85*A*.
galvanised, repair, use of lead-tin-zinc alloy, 131*A*.
lacquer, use for measuring strain, 22*A*.
nickel, properties, 18*A*.
oxide, for stainless steel, 132*A*.
paint, drying by radiant heating, 85*A*.
phosphate, development, 21*A*.
phosphate, formation, 21*A*.
protective, adhesion test, B.N.F., 131*A*.
protective, bibliography, 131*A*.
silver, properties, 18*A*.
sprayed, adherence, 132*A*.
sprayed, bond strength, 22*A*.
synthetic resin, 85*A*.
used in drawing rod and wire, 149*A*.
zinc, passivated, properties, 19*A*.
zinc, phosphatising, 83*A*., 84*A*.
Cogging Mills, 107*A*, 125*A*.
Cohesive Strength, technical, metals at low-temperatures, 160*A*.
Coke:
analysis, preparation of samples, 66*A*.
blast-furnace, properties, 99*A*., 142*A*.
consumption in blast-furnaces, 379*P*.
consumption in blast-furnaces, effect of slag volume, 366*A*.
cooling, Collin process, 140*A*.
cooling, Sulzer process, 140*A*.
determination of moisture and ash, 66*A*.
function in blast-furnaces, 359*P*.
industrial application, 119*A*.
low-temperature, determination of volatile matter, 66*A*.
permeability, 140*A*.
properties, effect on blast-furnace operation, 98*A*.
quality, effect on blast-furnace practice, 2*A*.
Coke Oven Charging Frame, moulding, 122*A*.
Coke-Oven Gas :
cleaning, 120*A*.
sulphur recovery, Thylox plant, 2*A*., 71*A*.
Coke Ovens :
fuel economy, 118*A*.
temperature measurement of walls, 46*A*., 99*A*.
use of low-temperature char, 140*A*.
Coking Industry, United States, 97*A*.
Coking Plants, fuel economy, 2*A*.
Coking Properties, coal, 97*A*.
Cold-Blast Iron :
duplication by synthetic mixtures, 3*A*.
use for chilled rolls, 122*A*.
Cold Drawing, effect on welded tubes, 23*A*.
Cold-Rolled Strip, properties, 87*A*.
Cold-Rolling, effect on strip, 111*A*., 150*A*.
Cold-Worked Metals, crystal recovery and recrystallisation, 59*A*.
Cold-Worked Steel, effect of deformation, 161*A*.
Colliery Equipment, failure, 24*A*.
Collin Process for cooling coke, 140*A*.
Colorimeters :
Bolton and Williams, 116*A*.
Evelyn, 117*A*.
Klett-Summerson, 116*A*.
Colouring, metals, 83*A*.
Columbium :
effect in cast steel, creep, 55*A*.
effect in chromium magnet steel, 54*A*.
Compression Tests, steel, 161*A*.
Concentration, iron ore, 32*A*., 99*A*., 100*A*.
Concrete, reinforced, safety factor, 22*A*.
Conductivity, electrical, metals, effect of temperature, 55*A*.
Conservation :
alloying materials, 89*A*.
alloying materials in America, 114*A*.
Contraction, steel castings, 103*A*.
Control :
arc furnaces, 123*A*.
furnaces, 1*A*., 96*A*.
remote, electrical machinery, 42*A*., 123*A*.
temperature of blast-furnace stoves, 98*A*.
temperature in forge furnaces, 78*A*.
Converters :
side-blown, design and use, 339 *Paper*.
side-blown, manufacture of steel castings, 339*P*.
side-blown, silicon reaction, 339*P*.
small, blowing, 5*A*.
Conveyors, in foundries, 103*A*.
Cooling :
coke, Collin process, 140*A*.
coke, Sulzer process, 140*A*.
ingots in moulds, 211*P*.
Cooling Banks, for wire rod, 149*A*.
Cooling Containers for rails, 24*A*.
Cooling Rate :
effect on cast steel, 165*A*.
metals, 151*A*.
Copper :
creep, 88*A*.
determination in iron and steel, 65*A*.
effect in chromium magneto steel, 54*A*.
effect in steel, atmospheric corrosion, 115*A*.
Copper-Nickel Alloys :
passivity, 91*A*.
use for cladding steel, 49*A*.
Copper Coatings, properties, 18*A*.
Copperweld Steel Co., rolling mills, 150*A*.
Core Sands :
bonding properties of petroleum extracts and linseed oil, 49 *Paper*.
properties, 73*A*.
Cores :
blowing, 8*A*.
distribution of bulk density, 36*P*.
for steel castings, 8*A*.
production, 74*A*.
Cornwall Iron Mines, history, 100*A*.
Corrosion :
aircraft parts, 136*A*.
atmospheric, steel, effect of copper, 115*A*.

Corrosion (*contd.*)—
benzole plants, 136*A*.
galvanic, 62*A*.
lacquered steel, 90*A*.
steel in fertiliser, 60*A*.
steel in potassium chloride, 60*A*.
steel in potassium nitrate, 60*A*.
steel by steam, 115*A*.
steel houses, 91*A*., 115*A*.
Corrosion Processes, mechanism, 61*A*.
Corrosion-Resistance, zinc-impregnated paint, 29*A*.
Corrosion Tests :
atmospheric, position of specimen, 91*A*.
salt-spray, 135*A*.
salt-spray, black-oxide coatings, 85*A*.
Costing, foundry, 103*A*.
Costing Systems, use of punched cards, 78*A*.
Crack-Sensitivity, welds, 49*A*., 50*A*.
Cracks :
detection, magnetic powder method, 51*A*.
detection, use of fluorescent materials, 132*A*.
hairline, in steel, 132*A*.
hardening, in forging dies, 126*A*.
in rails, 166*A*.
in welds, 16*A*., 49*A*., 154*A*., 155*A*., 156*A*.
in welds, effect of hydrogen, 129*A*.
"weeping," in rails, 24*A*.
see also *Defects*.
Creep :
carbon steel, 88*A*.
cast steel, effect of elements, 55*A*.
metals, relation between stress and creep rate, 113*A*.
molybdenum steel, effect of deoxidation, 113*A*.
steel, 26*A*.
steel at room temperature, 55*A*., 163*A*.
Creep Resistance, steel, 163*A*.
Creep Tests, 133*A*.
correlation of short-time and long-time, 163*A*.
stress/elongation-rate relationship, 88*A*.
stress-temperature relationship, 88*A*.
Crown Cork and Seal Co., tinning plant, 20*A*.
Crystal Recovery, cold-worked metals, 59*A*.
Crystallisation, steel castings, 8*P*.
Cupolas :
basic-lined, operation, 3*A*.
blast control, 3*A*.
lighting, 4*A*.
lighting, use of coal briquettes, 70*A*.
reactions, 72*A*.
relation between blast pressure and quantity, and cupola dimensions, 121*A*.
spouts, design, 4*A*.
use of steel charges, 144*A*.
Cutting, oxygen, 157*A*., 158*A*.
Cutting Oils, sulphurised, 159*A*.
Cutting Temperature, tools, measurement by temperature-indicating paints, 151*A*.
Cutting Tests :
diamond tools, 158*A*.
high-speed steel, 158*A*.
Cutting Tools, relation between weldability and wear, 17*A*.
Cyanide Pots, increase of life, 152*A*.
Cylinders :
cast-iron, moulding, 75*A*.
finned, production, 145*A*.

Damping Capacity, materials, 112*A*.
Danske-Staalvalsevark A.S., 123*A*.
Decarburisation :
chromium, 71*A*.
ferro-chromium, 71*A*.
Deep-Drawing Tests, 11*A*.
Defects :
detection, Magnaflux method, 133*A*.
detection, magnetic power method, 88*A*.
detection, use of photo-electric cell, 79*A*.
detection, use of supersonics, 133*A*.
see also *Cracks*.
Deformation :
effect on cold-worked steel, 161*A*.
plastic, metals, 161*A*.
Degreasing, metals, 83*A*., 130*A*.
Deoxidation :
basic electric steel, 105*A*.
effect on alloy steel, hardenability, 126*A*.
effect on molybdenum steel, creep, 113*A*.
electric steel with aluminium, 105*A*.
electric steel with calcium-silicon alloys, 105*A*.
electric steel, effect on types of inclusions, 105*A*.
Dephosphorisation, steel, rôle of basic slag, 77*A*.
Descaling, steel, Bullard-Dunn process, 130*A*.
Desulphurisation, iron, use of soda ash, 98*A*.
Desulphurised Iron, use in open-hearth practice, 98*A*.
Detearing :
coatings, 22*A*.
electrostatic, 85*A*.
Detroit Harvester Co., drawing of cartridge cases, 11*A*.
Diamond Tools, cutting tests, 158*A*.
Dictionary, welding terms, Russian-English, 130*A*.
Dies :
chromium plating, 83*A*.
drawing, for wire, 11*A*.
for drop forging, 78*A*.
forging, design, 107*A*.
forging, hardening cracks, 126*A*.
Differential Analyser, use for calculating heat flow, 251*P*.
Direct Processes :
Sieurin, 121*A*.
Wiberg, 3*A*., 36*A*., 121*A*.
Displacement, measurement, 22*A*.
Dominion Engineering Works, Ltd., foundry plant, 75*A*.
Draw Benches :
electric driving, 124*A*.
for tubes, 44*A*.
Drawing :
cold, effect on welded tubes, 23*A*.
galvanised wire, 45*A*.

Drawing (*contd.*)—
steel cartridge cases, 10*A*, 11*A*.
wire, 79*A*.
wire, coatings used, 149*A*.
wire, effect of back pull, 11*A*.
Drawing Dies, for wire, 11*A*.
Drawing Machines :
for rods, 79*A*.
for wire, 149*A*.
Drill Bits, heat treatment, 109*A*.
Drop Forging, dies for, 78*A*.
Drop Tests, rails, 24*A*.
Drying :
blast, 141*A*.
materials by radiant heating, 85*A*.
moulds, use of infra-red lamps, 75*A*.
Duplex Process, for production of malleable cast iron, 37*A*.
Duralumin, technical cohesive strength at low temperatures, 160*A*.
Dwight-Lloyd Sintering Plant, 32*A*.

Eastman Camera, 28*A*.
Eaton Manufacturing Co., induction hardening plant, 152*A*.
Elastic Limit, steel, effect of low-temperature annealing, 159*A*.
Electric Driving :
draw benches, 124*A*.
plate mills, 125*A*.
power presses, 124*A*.
wire-block machines, 124*A*.
Electric Furnace Practice, 8*A*., 9*A*., 42*A*., 103*A*.
acid, 105*A*.
Electric Furnace Slags, 104*A*., 105*A*.
Electric Furnaces, 9*A*.
acid, control of refining slags, 105*A*.
acid, iron oxide content of slag and metal, 105*A*.
addition of alloying elements, 105*A*.
addition of ore and roll scale, 105*A*.
arc, construction in America, 9*A*.
arc, control, 123*A*.
arc, design and development, 104*A*.
arc, developments in America, 77*A*.
arc, effect of size and shape, and electric load, 106*A*.
arc, furnace atmospheres, effect on hydrogen and nitrogen in steel, 106*A*.
arc, linings, 70*A*.
arc, refractory materials, 94*A*.
arc, roofs, 76*A*.
arc, three-phase circuit, 104*A*.
basic, control of phosphorus and sulphur, 105*A*.
basic, production of structural steel, 76*A*.
characteristics of boil, 105*A*.
charging, 105*A*.
control of hydrogen, 105*A*.
control of silicon, 105*A*.
electrical equipment, 104*A*.
electrode control, 104*A*.
induction, 104*A*.
induction, control equipment, 47*A*.
induction, use in foundries, 145*A*.
Electric Furnaces (*contd.*)—
large, 106*A*.
oxidising materials, 104*A*.
oxidising reactions, 105*A*.
rapid melting, 105*A*.
refractories for, 104*A*.
selection and design, 80*A*.
use of alloy steel scrap, 77*A*.
use of scrap, 42*A*., 104*A*.
Electric Power, relaying, 107*A*.
Electric Steel :
basic, deoxidation, 105*A*.
deoxidation, effect on types of inclusions, 106*A*.
deoxidation with aluminium, 105*A*.
deoxidation with calcium-silicon alloys, 105*A*.
Electric Steel Castings, basic, 105*A*.
Electrical Computor, use for calculating heat flow, 255*P*.
Electrical Conductivity, metals, effect of temperature, 55*A*.
Electrical Machinery, remote control, 42*A*., 123*A*.
Electro-Chemical Analysis, 66*A*.
Electrocolour Process, 83*A*.
Electrodeposition :
chromium, 21*A*.
gold, 21*A*.
iron-nickel alloys, 131*A*.
metals, 18*A*.
nickel, 21*A*.
silver, 21*A*.
tin, 21*A*.
Electrodes :
electric furnace, control, 104*A*.
production, 104*A*.
welding, Arcos, 14*A*.
welding, control of moisture in coatings, 157*A*.
welding, metallic, 48*A*., 157*A*.
welding, production, 82*A*., 128*A*.
welding, tests, 82*A*.
Electro-galvanising, 20*A*.
Electrolytic Coatings, uniformity of thickness, 19*A*.
Electrolytic Polishing, 28*A*., 135*A*.
Electron Microscopes, 58*A*.
Electronic Tests, 25*A*.
Electronics, use in industry, 150*A*.
Electrostatic Detearing, 85*A*.
Electro-Tinning, strip, 20*A*.
Elongation, steel, relation to hydrogen content, 56*A*., 164*A*.
Embrittlement, caustic, boilers, 62*A*., 115*A*.
Enamels, adherence to cast iron, 85*A*.
Endogas, 109*A*.
End-Quench Tests, see *Jominy Hardenability Tests.*
Engine Cylinder Barrels, centrifugal casting, 146*A*.
Engine Cylinder Liners :
chromium plating, 84*A*.
wear, 88*A*.
Engines, marine, castings for, 38*A*.
Entropies, chromium carbide, 72*A*.
Evelyn Colorimeter, 117*A*.
Exogas, 109*A*.

Expansion, thermal, silicon cast iron, 134*A*.
Explosibility, metal powders, 143*A*.

Failure :
colliery equipment, 24*A*.
rails, 24*A*.
Fatigue :
butt welds, 50*A*.
chromium-molybdenum-nickel steel, 27*A*.
chromium-molybdenum steel, at high temperatures, 88*A*.
chromium-molybdenum steel tubing, 53*A*.
chromium steel at high temperatures, 88*A*.
molybdenum steel at high temperatures, 88*A*.
rail joint bars, 166*A*.
steel at high temperatures, 55*A*.
welded joints, 14*A*.
welded nickel steel, 51*A*.
welded tubes, 50*A*.
welds, effect of heat treatment, 110*A*.
Fatigue Test Bars, machining, 158*A*.
Fatigue Tests, 52*A*.
Fatigue Strength, cast-iron, 53*A*.
Ferrite :
in normalised steel, 126*A*.
silicon, recrystallisation, 59*A*.
Ferritrol, 152*A*.
Ferro-Alloys :
exothermic briquettes, 36*A*.
nitriding, 143*A*.
production, 36*A*.
Ferro-Chromium, decarburisation, 71*A*.
Ferromagnetic Tests, 25*A*.
Ferromagnetism, theory, 95*P*.
Ferro-Manganese, disintegration, 100*A*.
Ferro-Silicon, consumption in American steel industry, 76*A*.
Ferrous Oxide/Ferric Oxide/Manganous Oxide/Manganic Oxide System, mineralogical aspects, 32*A*.
Fertiliser, corrosion of steel, 60*A*.
Films, surface, chromium-nickel steel, 81 *Paper*.
Fissures :
in rails, 24*A*., 166*A*.
in welds, 51*A*.
Flame Spinning, tubes, 124*A*.
Flotation, iron ore, 32*A*.
Flow :
plastic, metals, 53*A*.
steel in upset forging, 44*A*.
Flue Dust, see *Blast-Furnace Flue Dust*.
Fluorescent Materials, use for detecting cracks, 132*A*.
Fluorspar, consumption in American steel industry, 76*A*.
Flux, blast-furnace, calcination rates and sizing, 99*A*.
Flywheels, centrifugal casting, 145*A*.
Food Containers, phosphatising and lacquering, 85*A*.
Ford Motor Co. :
centrifugal casting plant, 145*A*.
sulphur recovery plant, 2*A*., 71*A*.
Forge Furnaces :
mechanical stokers for, 43*A*.
pulverised-coal-fired, 96*A*.
temperature control, 78*A*.
use of wood and coal, 43*A*.
Forging :
bombs, 148*A*.
cross-roll, 10*A*.
drop, dies for, 78*A*.
forks, 124*A*.
shells, 10*A*., 44*A*., 78*A*., 124*A*., 148*A*.
upset, flow of steel, 44*A*.
upset, use of welding machines, 78*A*.
Forging Dies :
design, 107*A*.
hardening cracks, 126*A*.
Forging Practice, 124*A*.
Forgings :
grain flow, 78*A*.
heat treatment, 79*A*.
Forks, forging, 124*A*.
Fouling, ships' bottoms, 143 *Paper*.
Foundries :
mechanical handling in, 122*A*.
use of induction furnaces, 145*A*.
use of screw conveyors, 103*A*.
Foundry Cores, see *Cores*.
Foundry Costing, 103*A*.
Foundry Laboratories, 72*A*.
Foundry Plant :
American Laundry Machinery Co., 75*A*.
Birdsboro Steel Foundry and Machine Co., 5*A*.
Canadian Car & Foundry Co., 38*A*.
Caterpillar Tractor Co., 8*A*.
Dominion Engineering Works, Ltd., 75*A*.
General Motors Corporation, 38*A*.
Landis Tool Co., 8*A*.
Motor Castings Co., 145*A*.
Symington-Gould Corp., 122*A*.
Tomlinson & Co., Ltd., 38*A*.
Foundry Practice, 3*A*., 37*A*., 72*A*., 102*A*., 121*A*., 143*A*.
developments, 37*A*.
Foundry Sand, see *Moulding Sand*.
Foundrymen, training, 72*A*.
Fracture, brittle solids, 90*A*.
Friction, heat of, metals, 162*A*.
Fuel, 1*A*., 33*A*., 70*A*., 95*A*., 118*A*., 139*A*.
efficiency in open-hearth furnaces, 76*A*.
Fuel Economy :
in coking plants, 2*A*., 118*A*.
in steelplants, 1*A*., 95*A*.
Furnaces :
blast, see *Blast-Furnaces*.
control, 1*A*., 96*A*.
efficient operation, 119*A*.
electric, see *Electric Furnaces*.
forge, see *Forge Furnaces*.
heat-treatment, see *Heat-Treatment Furnaces, Annealing Furnaces*, etc.
metallurgical, operation and design, 33*A*.
Monometer, 144*A*.
open-hearth, see *Open-Hearth Furnaces*.
pulverised-coal-fired, 96*A*., 139*A*.
reheating, see *Reheating Furnaces* and *Soaking Pits*.
underfeed stokers for, 95*A*.

Galvanised Coatings, repair, use of lead-tin-zinc alloy, 131*A*.
Galvanised Sheets, spot-welding, 15*A*.
Galvanised Wire, drawing, 45*A*.
Galvanising, 84*A*.
dross formation, 84*A*.
electro, 20*A*.
sheets, effect of carbon, 131*A*.
Galvanising Kettles, production, 44*A*.
Gamma Rays, use in radiography, 90*A*.
Gas, blast-furnace, see *Blast-Furnace Gas*.
coke-oven, see *Coke-Oven Gas*.
fuel, determination of moisture, 117*A*.
Gas Burners, design, 119*A*.
Gas Containers, cast-steel, 6*A*.
Gas Cylinders, use of Meehanite, 160*A*.
Gas Engines, utilisation of waste heat, 139*A*.
Gas Producers, see *Producers*.
Gas Turbines :
alloys for, 26*A*.
steels for, 89*A*.
use for blowing blast-furnaces, 121*A*.
Gases, measurement, Arkon recorder, 35*A*.
Gauges :
chromium plating, 83*A*.
low-temperature treatment, 82*A*.
Gears :
bevel, production, 44*A*.
carburisation, 127*A*.
case-hardening, 12*A*.
flame-hardening, 47*A*.
heat treatment, 80*A*.
General Motors Corporation, foundry plant, 38*A*.
Germanium, determination in steel, 170*A*.
Girders, internal stresses, determination, 23*A*.
Glass, molten, use for treatment of stainless steel wire, 149*A*.
Gold, electrodeposition, 21*A*.
Goss Process of continuous casting, 39*A*., 40*A*.
Grading, iron ore, 99*A*.
Grain Flow, in forgings, 78*A*.
Grain Shape, effect on synthetic moulding sand, 19*P*.
Grain Size :
effect in steel, creep resistance, 163*A*.
in steel castings, 173*P*.
Grainal-Treated Steel, properties, 27*A*.
Granodising, 83*A*.
Graphite :
effect in cast iron, 52*A*.
in carburised cases, 81*A*.
in cast iron, 160*A*.
precipitation in alloy steel, 164*A*.
Gray-King Assay Scale, 71*A*.
Grenades, centrifugal casting, 146*A*.
Grinding Machines :
castings for, 8*A*.
for rolls, 159*A*.
Gun Barrels, centrifugal casting, 104*A*.
Gun Breech Rings, production, 122*A*.
Gun Tables, production, 78*A*.

Hairline Cracks in steel, 132*A*.
Hammers, hand, production, 89*A*.
Handling, mechanical, in foundries, 122*A*.
Hard-Facing, 16*A*., 49*A*., 128*A*.
Hardenability :
alloy steel, effect of deoxidation, 126*A*.
basic open-hearth steel, effect of nitrogen, 112*A*.
Bessemer Steel, effect of nitrogen, 112*A*.
Hardenability Tests:
Jominy, 81*A*., 87*A*.
Jominy, effect of quenching temperature, 25*A*.
Jominy, use of cast specimens, 112*A*
Hardening :
bright, 81*A*.
chromium-molybdenum-nickel steel, 80*A*.
flame, 81*A*.
flame, gears, 47*A*.
flame, Shorter process, 109*A*.
induction, 47*A*., 81*A*., 108*A*., 109*A*., 127*A*., 152*A*.
steel direct from rolling, 109*A*., 126*A*.
surface, 80*A*., 81*A*.
Hardening Cracks, in forging dies, 126*A*.
Hardness :
Brinell, relation to Vickers hardness, 162*A*.
chromium-manganese-molybdenum-nickel steel, 57*A*.
low-alloy steel welded plates, 50*A*.
porous chromium-plated piston rings, 113*A*.
relation to atomic structure, 29*A*.
relation to yield stress, 133*A*.
Hardness Tester, micro, 54*A*.
Hardness Tests, micro, 112*A*.
Headers, production for boiler tubes, 43*A*.
Heat :
required for reduction of blast-furnace burdens, 360*P*.
requirements for blast furnaces, 364*P*.
specific, chromium carbide, 72*A*.
waste, utilisation from gas engines, 139*A*.
Heat Balance, blast-furnace, 372*P*.
Heat Content, chromium carbide, 72*A*.
Heat Embrittlement, structural steel, effect of phosphorus, 165*A*.
Heat Exchangers, design, 33*A*.
Heat Flow, in steel, 211*P*.
Heat of Friction, metals, 162*A*.
Heat-Resistant Steel, properties, 55*A*., 111*A*.
Heat Transfer, 139*A*.
in air preheaters, 96*A*.
special media, 139*A*.
Heat Transmission, through boiler tubes, 96*A*.
Heat-Treatment, 12*A*., 47*A*., 79*A*., 108*A*., 126*A*., 151*A*.
armour plate, 153*A*.
automobile parts, 153*A*.
chromium-molybdenum steel castings, 79*A*.
distortion of parts, 128*A*., 154*A*.
drill bits, 109*A*.,
effect on welds, fatigue, 110*A*.
forgings, 79*A*.
gears, 80*A*.
high-speed steel, 128*A*.

Heat-Treatment (*contd.*)—
high-speed steel in salt baths, 12*A*., 152*A*.
manganese steel castings, 153*A*.
needles and pins, 153*A*.
refractory materials, 94*A*.
rifle barrels, 153*A*.
tractor links, 153*A*.
use of lead baths, 80*A*.
use of salt baths, 80*A*.
Heat-Treatment Furnaces:
controlled atmospheres, 47*A*., 79*A*., 80*A*., 81*A*., 108*A*., 109*A*.
gas-fired, 108*A*., 152*A*.
mechanised, 47*A*.
underfeed stokers for, 95*A*.
salt bath, 127*A*., 152*A*.
Heating :
induction, 85*A*., 109*A*., 152*A*.
induction, chromium-molybdenum steel tubes, 127*A*.
induction, tubes, 128*A*.
ingots, 240*P*.
radiant, 85*A*.
steel, soaking times, 244*P*.
submerged, pickling tanks, 83*A*.
Helmets, steel, production, 44*A*.
Hematite, flotation, 32*A*.
High-Speed Steel :
brazing, 17*A*.
cutting tests, 158*A*.
determination of vanadium, 116*A*.
effect of elements, 18*A*.
heat treatment, 128*A*.
heat-treatment in salt baths, 12*A*., 152*A*.
low-temperature treatment, 82*A*.
substitute, 165*A*.
tempering, effect of low-temperature quenching, 47*A*.
welding to carbon-steel shanks, 17*A*.
Holmes Multifilm Gas Washer, 120*A*.
Hot-Brittleness, cast steel, 55*A*.
Hot Workability Tests, 111*A*.
Houses, steel, corrosion, 91*A*., 115*A*.
Hydrogen :
control in electric furnaces, 105*A*.
effect in alloy steel, weldability, 156*A*.
effect in iron-manganese alloys, 164*A*.
effect in manganese steel, 164*A*.
effect in welds, cracking, 129*A*.
in electric steel, effect of furnace atmosphere, 106*A*.
in steel, relation to elongation, 56*A*., 164*A*.

Impact Strength, cast steel, 165*A*.
Impact-Tensile Tests, 52*A*.
Impact Tests :
chromium-molybdenum-nickel steel at low temperatures, 27*A*.
notched-bar, 86*A*.
notched-bar, compared with tensile tests, 160*A*.
notched-bar, interpretation, 23*A*.
Inclusions :
in electric steel, effect of deoxidation, 105*A*.
slag, separation from steel, 77*A*.
Induction Brazing, tungsten carbide tools, 17*A*.
Induction Hardening, 47*A*., 81*A*., 108*A*., 109*A*., 127*A*., 152*A*.
Induction, Heating, 85*A*., 109*A*., 152*A*.
chromium-molybdenum steel tubes, 127*A*.
tubes, 128*A*.
Infra-Red Heating, 85*A*.
Infra-Red Lamps, for drying moulds, 75*A*.
Ingot Moulds :
large, casting, 122*A*.
life, 148*A*.
Ingots:
cooling in moulds, 211*P*.
heating, 240*P*.
Inoculation, cast iron, 144*A*.
Insulating Materials, for steel plants, 1*A*.
Insulation, boilers, 70*A*.
International Harvester Co., spectrographic equipment, 117*A*.
Iron :
cold-blast, duplication by synthetic mixtures, 3*A*.
desulphurisation, use of soda ash, 98*A*.
polycrystalline, magnetisation, 93*P*.
production, 2*A*., 35*A*., 71*A*., 97*A*., 120*A*., 141*A*.
recovery from slag, use of producers, 97*A*.
Iron-Aluminium-Cobalt-Copper Alloys, magnetic properties, 54*A*.
Ironfounding Industry, research, 143*A*.
Iron Industries :
American, expansion, 75*A*.
British, labour problems, 146*A*.
British, research in, 146*A*.
Peru, 146*A*.
Iron-Manganese Alloys, effect of hydrogen, 164*A*.
Iron-Manganese-Carbon System, carbides in, 60*A*., 135*A*.
Iron-Molybdenum-Carbon System, distribution of molybdenum, 60*A*.
Iron-Molybdenum-Nickel Alloys, passivity, 91*A*.
Iron-Nickel Alloys, electrodeposition, 131*A*.
Iron Ore :
blending, Robins-Messiter bedding plant, 141*A*.
concentration, 32*A*., 99*A*., 100*A*.
flotation, 32*A*.
grading, 99*A*.
low-grade, beneficiation, 419*P*.
mining, 138*A*.
nodulising, 138*A*.
reduction, 36*A*.
sintering, 32*A*., 33*A*., 99*A*., 141*A*.
stock piling, 99*A*.
variation in silica content, 99*A*.
Iron Ore Deposits :
Northamptonshire, 138*A*.
Washington, 138*A*.
Iron Ore Mines, Cornwall, Pa., history, 100*A*.
Iron Ore Reserves, United Kingdom, 138*A*.
Iron Oxide, in electric furnace slag and metal, 105*A*.
Iron-Oxide/Silica System, 355*P*.

Iron-Silicon Alloys :
magnetic properties, 88*A*., 162*A*.
magnetisation, 93*P*.
Iron Sponge, see *Sponge Iron*.

Jessop Steel Co. :
bar mills, 46*A*.
electric furnace practice, 105*A*.
Jominy Hardenability Test, 81*A*., 87*A*.
effect of quenching temperature, 25*A*.
use of cast specimens, 112*A*.
Jones and Laughlin Steel Corporation, safety precautions in plant, 43*A*.

Kaiser Co. :
electricity transforming and distributing systems, 45*A*.
plate mills, 125*A*.
steel plant, 8*A*.
Kaolinite, effect in moulding sand, 39*A*.
Klett-Summerson Colorimeter, 116*A*.
Kyanite, use as refractory material, 118*A*.

Laboratories :
Atlas Steels, Ltd., 89*A*.
Bureau of Mines, Ottawa, 89*A*.
Department of Mines and Resources, Ottawa, 167*A*.
for foundries, 72*A*.
Laboratory Ware, refractory oxides for, 118 *A*.
Labour, in British iron industry, 146*A*.
Lacquer Coatings, use for measuring strain, 22*A*.
Lacquered Steel, corrosion, 90*A*.
Lacquering, food containers, 85*A*.
Ladles :
drying, use of coal briquettes, 70*A*.
teeming through two nozzles, 42*A*.
Lake Superior Iron Ore :
grading, 99*A*.
screening and sintering, 99*A*.
variation in silica content, 99*A*.
Landis Tool Co., foundry plant, 8*A*.
Lathe, for turning rolls, 18*A*.
Laundry Machinery, castings for, 75*A*.
Lead Baths, use in heat treatment, 80*A*.
Lead-Tin-Zinc Alloy, use for repairing galvanised coatings, 131*A*.
Light Metals, safety factor, 22*A*.
Lime, blowing through blast-furnace tuyeres, 99*A*.
Lime/Silica/Phosphoric Acid System, 77*A*.
Lindberg Engineering Co., heat treatment of rifle barrels, 153*A*.
Linings :
arc furnace, 70*A*.
basic, for open-hearth furnaces, 1*A*.
blast-furnace, 70*A*.
blast-furnace, temperature gradients, 98*A*.
Linseed Oil, use as a bonding material in core sands, 49 *Paper*.
Ljungstrom Air Preheater, heat transfer, 96*A*.
Locomotives, castings for, 38*A*.
Lost-Wax Method of casting, 39*A*.
Lubrication :
bearings, 45*A*.
blast-furnace tops, 121*A*.
rolling mills, 79*A*.
sheet mills, 45*A*.
Lüders Lines, in steel, effect of low-temperature annealing, 159*A*.
Lukens Steel Co., plate mills, 125*A*.
Lustros, 18*A*.

Machinability, screwstock, 158*A*.
Machine Tools, steels for, 57*A*.
Machining, metals, 17*A*., 158*A*.
Magnaflux Method for detection of cracks, 133*A*.
Magnesia, determination in magnesite and dolomite, 170*A*.
Magnesium, creep, 88*A*.
Magnesium Alloys, technical cohesive strength at low temperatures, 160*A*.
Magnet Steel, chromium, effect of elements, 54*A*.
Magnetic Powder Method for detection of cracks, 51*A*., 88*A*.
Magnetic Properties :
iron-aluminium-cobalt-copper alloys, 54*A*.
iron-silicon alloys, 88*A*., 162*A*.
Magnetic Tests, 25*A*., 113*A*.
Magnetisation :
mechanism, 99*P*.
polycrystalline iron and iron-silicon alloys, 93 *Paper*.
Magnetisation Curves, 103*P*., 105*P*., 109*P*.
Malleable Cast Iron :
analysis, 65*A*.
effect of boron, 102*A*.
production, duplex process, 37*A*.
Malleable Iron Castings, gates and risers, 74*A*.
Malleablisation, cast iron, 122*A*.
Manganese :
consumption in American steel industry, 76*A*.
determination in iron and steel, 65*A*.
determination, spectrographic methods, 116*A*.
effect in cast iron, 114*A*.
effect in cast steel, creep, 55*A*.
effect in chromium-magnet steel, 54*A*.
effect in steel, hardenability, 126*A*.
Manganese-Silicon Steel, weldability, 16*A*.
Manganese Steel, effect of hydrogen, 164*A*.
Manganese Steel Castings :
for mining machinery, 38*A*.
heat treatment, 153*A*.
Marine Engines, castings for, 38*A*.
Marine Growths, identification, 143 *Paper*.
Martensite, amount present in quenched steel, 81*A*.
Meehanite Cast Iron :
production, 4*A*.
use for pressure vessels, 160*A*.
Meehanite Castings, compared with welded parts, 122*A*.
Melting Conditions, effect on steel castings, 157 *Paper*.

Melting Practice, effect on steel, 147*A*.
Members, election, 2*P*.
Metallographic Examination, steel, 58*A*.
Metallography and Constitution, 28*A*., 58*A*., 89*A*., 135*A*., 167*A*.
Metallurgy, physical, fundamentals, 28*A*.
Methane, cast-steel containers for, 6*A*.
Micro-Topography, surfaces, 167*A*.
Microscopes, 89*A*.
  electron, 58*A*.
Midland Steel Products Co., production of Bofors gun tables, 78*A*.
Mild Steel, properties, 86*A*.
Milling Cutters :
  centrifugal casting, 146*A*.
  chromium plating, 83*A*.
  use of carbides, 158*A*.
Mineral Resources, 138*A*.
Mining, iron ore, 138*A*.
Mining Machinery, manganese steel castings for, 38*A*.
Modulus of Rigidity, materials, 112*A*.
Moisture :
  control in blast-furnaces, 2*A*., 71*A*.
  determination in coal and coke, 66*A*.
  determination in fuel gas, 117*A*.
Molybdenum:
  determination in iron and steel, 65*A*.
  distribution in iron-molybdenum-carbon system, 60*A*.
  effect in cast steel, 165*A*.
  effect in chromium magnet steel, 54*A*.
  effect in chromium steel, 134*A*.
  effect in steel, hardenability, 126*A*.
  for steel making, 104*A*.
Molybdenum-Nickel Steel Chains, production, 43*A*.
Molybdenum Steel :
  corrosion by steam, 115*A*.
  creep, effect of deoxidation, 113*A*.
  creep resistance, 163*A*.
  fatigue at high temperatures, 88*A*.
  graphite precipitation, 164*A*.
  spot weldability, 15*A*.
Monogas, 108*A*., 109*A*.
Monometer Furnace, 144*A*.
Morax Protective Atmosphere, 153*A*.
Motor Castings Co., foundry plant, 145*A*.
Moulding :
  cast iron cauldrons, 122*A*.
  cast-iron cylinders, 75*A*.
  coke oven charging frame, 122*A*.
  pipes, 102*A*.
  propellers, 102*A*.
  pulp mixing troughs, 102*A*.
Moulding Machines, 103*A*.
Moulding Sand :
  Australian, properties, 102*A*.
  bonding with colloidal casting slip, 7*A*.
  effect of bentonite, 73*A*.
  effect of bonding materials, 39*A*.
  effect of coal dust, 73*A*.
  effect on iron castings, 73*A*.
  preparation, 38*A*.
  reclamation, 145*A*.
  sintering tests, 73*A*.
  synthetic, 122*A*.
  synthetic, effect of grain shape, 19*P*.
  use of cement, 7*A*.
Moulds :
  distribution of bulk density, 36*P*.
  drying by radiant heating, 85*A*.
  drying, use of infra-red lamps, 75*A*.
  ramming, 145*A*.
Mullins Manufacturing Co., forging of shells, 124*A*.

Naphthalene, removal from coke-oven gas, 120*A*.
National Annealing Box Co., plant, 44*A*.
National Electrical Manufacturers Association, method of marking welding electrodes, 49*A*.
National Emergency Steel, properties, 114*A*.
National Malleable and Steel Castings Co., production of malleable iron castings, 102*A*.
National Physical Laboratory, development of strain gauges, 22*A*.
National Steel Co. of Brazil, plate mills, 125*A*.
National Tube Co. :
  forging of shells, 10*A*.
  production of killed Bessemer steel, 147*A*.
Needles, heat treatment, 153*A*.
New York State, iron ore mining, 138*A*.
Nickel :
  determination in iron and steel, 65*A*., 169*A*., 170*A*.
  determination, spectrographic methods, 116*A*.
  effect in chromium magnet steel, 54*A*.
  effect in chromium-manganese-vanadium steel sheets, 56*A*.
  electrodeposition, 21*A*.
  for steelmaking, 104*A*.
Nickel-Chromium Steel, weld-crack sensitivity, 49*A*.
Nickel Coatings, properties, 18*A*.
Nickel Steel, welded, fatigue, 51*A*.
Nitric Acid, behaviour of metals in, 61*A*.
Nitriding :
  ferro-alloys, 143*A*.
  steel, 81*A*.
Nitriding Furnaces, 108*A*.
Nitrogen :
  effect in basic open-hearth steel, hardenability, 112*A*.
  effect in Bessemer steel, 86*A*.
  effect in Bessemer steel, hardenability, 112*A*.
  in electric steel, effect of furnace atmospheres, 106*A*.
  in steel, effect of method of sampling, 164*A*.
  removal in basic open-hearth process, 123*A*.
Nodulising, iron ore, 138*A*.
Nomograph, use for calculating soaking times for steel, 265*P*.
Non-Ferrous Metals, properties, 86*A*.
Normalised Steel, ferrite in, 126*A*.
Northamptonshire, iron ore deposits, 138*A*.
Notch Sensitivity, cast iron, 53*A*.

Obituary Notices, deceased Members, 469*P*.
Ohio Steel Foundry Co., production of gun breech rings, 122*A*.
Open-Hearth Furnaces :
checkers, supplementary heating, 41*A*., 42*A*.
doors, water-cooling, 103*A*.
fuel efficiency, 76*A*.
increase of production, 76*A*., 147*A*.
linings, basic, 1*A*.
production of chromium steel, 103*A*.
regenerators, supplementary heating, 123*A*.
regenerators, utilised heating surface of checkers, 123*A*.
use of pitch, 33*A*.
Open-Hearth Practice, use of desulphurised iron, 98*A*.
Open-Hearth Process, basic, removal of nitrogen, 123*A*.
Open-Hearth Slag, basic, constitution, 69 *Paper*.
Open-Hearth Steel :
basic, hardenability, effect of nitrogen, 112*A*.
properties at high temperatures, 26*A*.
Ores, mining and treatment, 32*A*., 138*A*.
Oster Manufacturing Co., heat-treatment plant, 80*A*.
Oxidation :
metals, effect of temperature, 55*A*.
see also *Scaling*.
Oxide, chromic, reduction by carbon, 71*A*.
Oxide-Coated Sheets, spot welding, 15*A*.
Oxide Coatings :
for stainless steel, 132*A*.
salt-spray tests, 85*A*.
Oxide Impurities, thrown out during teeming of steel, 106*A*.
Oxides :
reducibility, 97*A*.
refractory, use for laboratory ware, 118*A*.
Oxygen, distributing systems, 158*A*.
Oxygen-Enriched Blast, 141*A*.

Paint Coatings :
detearing, 22*A*.
drying by radiant heating, 85*A*.
Painting, protective, iron and steel, 132*A*.
Paints :
anti-corrosive, for ships' bottoms, 269*P*.
anti-fouling, 132*A*.
corrosion-resistant, tests, 136*A*.
protective, for tropical climates, 30*A*.
temperature-indicating, 46*A*., 151*A*.
zinc-impregnated, corrosion-resistance, 29*A*.
Parkerised Sheets, spot welding, 15*A*.
Parkerising, development, 21*A*.
Passivated Zinc Coatings, properties, 19*A*.
Passivity :
copper-nickel alloys, 91*A*.
iron-molybdenum-nickel alloys, 91*A*.
Patterns :
coatings for, 7*A*.
production, 102*A*.
production, time-required, 74*A*.
Pease-Anthony Gas Washer, 99*A*.
Peening :
effect on welds, 82*A*.
effect on welds, bibliography, 82*A*.
welds for stress relief, 129*A*.
Permeability, coke, 140*A*.
Perminal N., 18*A*.
Peru, iron and steel industry, 146*A*.
Petroleum Extracts, use as a bonding material in core sands, 49 *Paper*.
Phosphate Coatings :
development, 21*A*.
formation, 21*A*.
Phosphatising, 83*A*.
aircraft parts, 136*A*.
food containers, 85*A*.
zinc coatings, 83*A*., 84*A*.
Phosphorus :
control in basic electric furnaces, 105*A*.
determination in iron and steel, 65*A*.
effect in cast iron, 114*A*.
effect in chromium magnet steel, 54*A*.
effect in structural steel, temper brittleness and heat embrittlement, 165*A*.
Photelometer, Sheard-Sanford, 116*A*.
Photoelectric Cell, use for detection of defects in strip, 79*A*.
Photoelectric Colorimeter :
Bolton and Williams, 116*A*.
Evelyn, 117*A*.
Photometers, 135*A*.
Photomicrographs, coloured, 135*A*.
Photo-Tubes, multiplier, use in spectrum analysis, 63*A*.
Physical Metallurgy, fundamentals, 28*A*.
Pickling, gas, steel, 83*A*., 130*A*.
Pickling Liquor, treatment, 83*A*.
Pickling Tanks, submerged heating, 83*A*.
Pig Iron :
charcoal, proposed production in Texas, 36*A*.
charcoal, use for chilled rolls, 122*A*.
desulphurised, use in open-hearth practice, 98*A*.
high-sulphur, production, 98*A*.
titaniferous, production, 121*A*.
Pigments, corrosion-inhibitive, protective value, 116*A*.
Pins, heat treatment, 153*A*.
Pipe Lines, pressure, safety factor, 22*A*.
Pipes :
cast iron, production, 8*A*.
moulding, 102*A*.
steam, steels for, 88*A*.
Piston-Rings, porous chromium plated, hardness, 113*A*.
Pitch :
effect in moulding sand, 39*A*.
use in open-hearth furnaces, 33*A*.
Pittsburgh Coal, cleaning, 100*A*.
Pittsburgh Steel Co., production of tubular axles, 44*A*.
Plastic Flow, metals, 53*A*.
Plasticity, coal, 97*A*.
Plastics :
damping capacity, 112*A*.
effect of alternating-torsional stress, 112*A*.
modulus of rigidity, 112*A*.

Plate Mills, 108*A*., 125*A*.
electric driving, 125*A*.
spalling of rolls, 125*A*.
Plates :
reheating furnaces, 148*A*.
rolling, 79*A*.
Polarograph, use in analysis, 66*A*.
Polishing, electrolytic, 28*A*., 135*A*., 167*A*.
Porosity, iron castings, 40*A*.
Porter, H. K., Co., forging of shells, 124*A*.
Potassium Chloride, corrosion of steel, 60*A*.
Potassium Nitrate, corrosion of steel, 60*A*.
Potentiometric Titration Apparatus, use in analysis, 66*A*.
Powder Compacts :
effect of particle size, 101*A*.
effect of pressure, 101*A*.
Powder Metallurgy, 37*A*., 72*A*., 100*A*., 143*A*.
Powdered Metal Products, design, 72*A*.
Powders:
alloy metal, applications, 101*A*.
metal, explosibility, 143*A*.
metal, effect of particle size, 72*A*.
metal, hot-pressing, 101*A*.
metal, production, 37*A*.
Power Stations, planning and design, 118*A*.
Presses :
electric drives for, 124*A*.
hydraulic, 44*A*., 107*A*., 124*A*.
tools for, 10*A*.
Pressing, sheet metals, 149*A*.
Pressings :
production, 107*A*.
welding, 154*A*.
Pressure Pipe Lines, safety factor, 22*A*.
Pressure Vessels :
production, 44*A*.
safety factor, 22*A*.
use of Mechanite, 160*A*.
welding, 157*A*.
Producer Practice, 34*A*.
Producers :
developments, 141*A*.
efficient operation, 119*A*.
for recovery of iron from slag, 97*A*.
pressure-gasification of coal, 120*A*.
Propellers :
centrifugal casting, 146*A*.
moulding, 102*A*.
Pulp Mixing Troughs, moulding, 102*A*.
Pulverised Coal, see *Coal, pulverised.*
Pyrometry, 46*A*., 151*A*.
see also *Temperatures, measurement.*

Quality Control, statistical methods, 158*A*.
Quenched Steel, amount of martensite present, 81*A*.
Quenching :
effect on cast iron, 87*A*.
low-temperature, effect on tempering of high-speed steel, 47*A*.
pressure, armour plate, 48*A*.
water, steel castings, 153*A*., 154*A*.
Quenching Curves, construction, 47*A*.
Quenching Oils, properties, 48*A*.
Quenching Temperature, effect on end-quench tests, 25*A*.

Radiography :
printing from negatives, 28*A*.
thin sections, 90*A*.
use of gamma rays, 90*A*.
Rail Joint Bars, fatigue, 166*A*.
Rails :
bend tests, 24*A*.
brunorised, 166*A*.
brunorised, failure, 24*A*.
cooling containers for, 24*A*.
cracks in, 166*A*.
drop tests, 24*A*.
end-hardened, batter, 24*A*.
fissures, 24*A*.
flat-bottom, calibration of rolls, 46*A*.
induction hardening, 109*A*.
shelly spots, 166*A*.
weeping cracks, 24*A*.
welding, 13*A*.
Railway Track, welding, 13*A*.
Reactions :
in cupolas, 72*A*.
oxidising, in electric furnaces, 105*A*.
silicon, in side-blown converters, 339*P*.
Recording Instruments for steel plants, 79*A*.
Recrystallisation :
cold-worked metals, 59*A*.
silicon ferrite, 59*A*.
Recuperators, 33*A*., 70*A*.
metallic, 119*A*.
Thermobloc, 2*A*.
Reducibility, oxides and sulphides, 97*A*.
Reduction :
blast-furnace burdens, heat required. 360*P*.
direct or indirect, in blast furnaces, 142*A*.
iron ore, 36*A*.
Refractory Materials, 1*A*., 70*A*., 94*A*., 118*A*.
for annealing furnaces, 95*A*.
for arc furnaces, 70*A*., 94*A*.
for blast-furnace stoves, 142*A*., 428*P*.
for blast-furnaces, 70*A*., 142*A*., 426*P*.
for electric furnaces, 104*A*.
for steel plants, 1*A*.
heat treatment, 94*A*.
manufacture and properties, 118*A*.
use of kyanite, 118*A*.
Refractory Materials (Alumina), use for laboratory ware, 118*A*.
Refractory Materials (Beryllia), use for laboratory ware, 118*A*.
Refractory Materials (Dolomite), determination of magnesia, 170*A*.
Refractory Materials (Fireclay), disintegration by carbon monoxide and carbon dioxide, 94*A*.
Refractory Materials (Magnesia), use for laboratory ware, 118*A*.
Refractory Materials (Magnesite), determination of magnesia, 170*A*.
Refractory Materials (Pure Oxide), uses, 118*A*.
Refractory Materials (Sillimanite Brick), properties, 118*A*.
Refractory Materials (Thoria), use for laboratory ware, 118*A*.

Refractory Materials (Zirconia), use for laboratory ware, 118*A*.
Regenerators :
supplementary heating, 123*A*.
utilised heating surface of checkers, 123*A*.
Reheating Furnaces, 43*A*., 78*A*., 148*A*.
for plates, 148*A*.
pusher-type, 43*A*.
Reinforcement Bars, properties, 166*A*.
Republic Steel Corporation :
blast-furnace plant, 120*A*.
electric-furnace plant, 106*A*.
tinning plant, 20*A*., 84*A*.
Research :
in British iron industry, 146*A*.
in iron-founding industry, 143*A*.
metallurgical, in Australia, 135*A*.
organisation, 89*A*.
Resin, effect in moulding sand, 39*A*.
Resin Coatings, 85*A*.
Rifle Barrels, heat treatment, 153*A*.
Rigidity Modulus, materials, 112*A*.
Rimming Steel, properties at high temperatures, 26*A*.
Robins-Messiter Bedding Plant, for iron ore, 141*A*.
Rods :
drawing machine, 79*A*.
straightening, roll pressures, 107*A*.
Roll Pressures, in straightening bars and tubes, 107*A*.
Rolling :
cold, effect on strip, 111*A*., 150*A*.
plates, 79*A*.
Rolling-Mill Equipment, maintenance by welding, 13*A*.
Rolling-Mill Plant :
Atlas Steels, Ltd., 107*A*.
Copperweld Steel Co., 150*A*.
Danske Staalvalsevark A.S., 123*A*.
Jessop Steel Co., 46*A*.
Kaiser Co., Inc., 125*A*.
Lukens Steel Co., 125*A*.
National Tube Co. of Brazil, 125*A*.
South African Iron and Steel Industrial Corp., 108*A*., 125*A*.
Steel Co. of Canada, 125*A*.
Tennessee Coal, Iron and Railroad Co., 125*A*.
Rolling Mill Practice, 45*A*., 79*A*., 107*A*., 125*A*., 149*A*.
Rolling Mills :
bar, 46*A*., 150*A*.
bearings, 149*A*.
bearings, lubrication, 45*A*.
bearings, wooden, 45*A*.
billet, 125*A*.
cogging, 107*A*., 125*A*.
lubrication, 79*A*.
plate, 108*A*., 125*A*.
plate, electric driving, 125*A*.
plate, spalling of rolls, 125*A*.
sheet, lubrication, 45*A*.
strip, conversion for rolling plates, 79*A*.
Rolls :
alloy steel, production, 38*A*.
calibration for cogging and billet mills, 125*A*.
Rolls (*contd.*)—
calibration for flat-bottom rails, 46*A*.
chilled, use of charcoal iron, 122*A*.
grinding machines, 159*A*.
plate-mill, spalling, 125*A*.
production, 75*A*.
turning lathe for, 18*A*.
Rotary Electric Steel Co., electric furnace practice, 105*A*.
Royal Aircraft Establishment, methods of measuring strain, 22*A*.
Rupture, metals, 53*A*.
Rustless Iron and Steel Corporation, electric furnace practice, 105*A*.

S-Curves, construction, 152*A*.
Safety Factors, materials, 22*A*.
Safety Precautions, steelplants, 43*A*.
Salt Baths :
use for case-hardening, 108*A*.
use in heat treatment, 12*A*., 80*A*., 127*A*., 152*A*.
Sampling :
coal, 170*A*.
coal, British standard methods, 117*A*.
Scaling :
steel, 78*A*.
see also *Oxidation*.
Scrap :
alloy steel, use in electric furnaces, 77*A*.
situation in America, 76*A*.
use in blast-furnaces, 98*A*., 100*A*.
use in electric furnaces, 42*A*., 104*A*.
Screening :
fine materials, 138*A*.
iron ore, 99*A*.
Screw Stock, machinability, 158*A*.
Sea Coal, effect in moulding sand, 39*A*.
"Semi-Steel," production, 5*A*.
Shafts, steels for, 27*A*.
Sheard-Sanford Photelometer, 116*A*.
Sheet Mills, lubrication, 45*A*.
Sheets :
chromium-manganese-vanadium, effect of nickel, 56*A*.
coated, welding, 15*A*.
deep-drawing tests, 11*A*.
galvanising, effect of carbon, 131*A*.
Sheffield Steel Corporation, forging of shells, 148*A*.
Shells, forging, 10*A*., 44*A*., 78*A*., 124*A*., 148*A*.
Sherardised Sheets, spot-welding, 15*A*.
Ships' Bottoms :
anti-corrosive compositions, 271 *Paper*.
fouling, 143 *Paper*.
Shorter Hardening Process, 109*A*.
Shot-Blasting, springs, 54*A*.
Shrink-Fits, 48*A*.
low-temperatures for, 153*A*.
Shrinkage, iron castings, 40*A*.
Sieurin Sponge Iron Process, 121*A*.
Silica Content, iron ore, 99*A*.
Silica Flour, effect in moulding sand, 39*A*.
Silicon :
control in electric furnaces, 105*A*.
determination in iron and steel, 65*A*.
determination in silicon iron, 65*A*.

Silicon (*contd.*)—
effect in cast iron, 114*A*.
effect in cast steel, creep, 55*A*.
effect in chromium magnet steel, 54*A*.
effect in chromium steel, 134*A*.
effect in steel, hardenability, 126*A*.
Silicon Cast Iron, properties, 114*A*.
Silicon Ferrite, recrystallisation, 59*A*.
Silicon Iron :
determination of silicon, 65*A*.
thermal expansion, 134*A*.
Silicon-Manganese Steel, weldability, 16*A*.
Silicon Reaction, in side-blown converters, 339*P*.
Silver, electrodeposition, 21*A*.
Silver Coatings, properties, 18*A*.
Sinter, use in blast-furnaces, 365*P*., 417*P*., 100*A*., 141*A*.
Sintering, iron ore, 32*A*., 33*A*., 99*A*., 141*A*.
Sintering Plant, Dwight-Lloyd, 32*A*.
Sintering Tests, moulding sand, 73*A*.
Sinuflo Waste-Heat Boiler, 70*A*.
Slag :
basic, citric-acid solubility, 147*A*.
basic, constitution, 69 *Paper*.
basic, effect of chromic oxide, 103*A*.
basic, rôle in dephosphorisation of steel, 77*A*.
blast-furnace, see *Blast-Furnace Slag*.
electric-furnace, 104*A*., 105*A*.
high-magnesia, use in blast-furnaces, 98*A*.
recovery of iron, use of producers, 97*A*.
Slag Inclusions, separation from steel, 77*A*.
Slide Rule, use for calculating soaking times for steel, 265*P*.
Small Arms, Ltd., metallurgical department, 21*A*.
Soaking Pits :
refractory materials, 1*A*.
see also *Reheating Furnaces*.
Soaking Times for steel, 244*P*.
Soda Ash, desulphurisation of iron, 98*A*.
Solidification, steel castings, 7*P*.
Solids, brittle, fracture, 90*A*.
South African Iron and Steel Industrial Corp., rolling-mill plant, 108*A*., 125*A*.
Specific Heat, chromium carbide, 72*A*.
Specifications :
aircraft steel, 57*A*.
steel, formulation, 27*A*.
welding electrodes, 48*A*.
Spectrum Analysis, 116*A*., 117*A*., 169*A*.
accessory equipment, 64*A*.
equipment for steelworks, 65*A*.
flat surface sparking technique, 64*A*.
plate calibration, 64*A*., 65*A*.
preparation of materials, for, 63*A*.
use of briquetted specimens, 64*A*.
use of multiplier photo-tubes, 63*A*.
Spekker Absorptiometer, 116*A*.
Spinning, flame, tubes, 124*A*.
Sponge Iron :
production, Sieurin process, 121*A*.
production, Wiberg process, 3*A*., 36*A*., 121*A*.
Spra-Bonderising, 85*A*.
Sprayed Coatings :
adherence, 132*A*.
bond strength, 22*A*.
Spraying, metals, 85*A*.
Springs, shot-blasting, 54*A*.
Stainless Steel :
black oxide finish, 132*A*.
corrosion by steam, 115*A*.
properties, 86*A*., 111*A*., 134*A*.
surface film, 81 *Paper*.
technical cohesive strength at low temperatures, 160*A*.
use for aircraft engine exhaust systems, 57*A*.
Stainless Steel Wire, treatment in molten glass, 149*A*.
Stamping, steel parts, 44*A*.
Statistical Methods, for quality control, 158*A*.
Steam, corrosion of steel, 115*A*.
Steel :
aircraft, specifications, 57*A*.
alloy, annealing, 108*A*.
alloy, development, 57*A*.
alloy, graphite precipitation, 164*A*.
alloy, hardenability, effect of de-oxidation, 126*A*.
alloy, properties, 111*A*.
alloy, properties at high temperatures, 26*A*.
alloy, spot weldability, 15*A*.
alloy, weldability, 16*A*.
alloy, weldability, effect of hydrogen, 156*A*.
alloy (low), properties, 27*A*.
alloy (low), weldability, 50*A*.
annealing in protective atmospheres, 127*A*.
austenite decomposition, 168*A*.
bainite formation, 168*A*.
browning, 21*A*.
clad, use of copper-nickel alloys, 49*A*.
cold-worked, effect of deformation, 161*A*.
compression tests, 161*A*.
corrosion, atmospheric, effect of copper, 115*A*.
corrosion in fertiliser, 60*A*.
corrosion by steam, 115*A*.
creep, 26*A*., 88*A*.
creep at room temperature, 163*A*.
creep resistance, 163*A*.
degreasing, use of wetting agents, 18*A*.
dephosphorisation, rôle of basic slag, 77*A*.
effect of boron, 165*A*.
effect of melting practice, 147*A*.
effect of tempering temperature, 111*A*.
effect of thorium, 134*A*.
fatigue at high temperatures, 55*A*.
flow in upset forging, 44*A*.
for automobile parts, 57*A*.
for gas turbines, 89*A*.
for machine tools, 57*A*.
for steam pipes, 88*A*.
for superheater tubes, 88*A*.
hairline cracks, 132*A*.
hardening direct from rolling, 109*A*.
heat flow, 211*P*.
heat-resistant, properties, 55*A*., 111*A*.
heating, soaking times, 244*P*.

Steel (*contd.*)—
high-tensile, ageing, 162*A*.
high-tensile, weldability, 50*A*.
hydrogen content, relation to elongation, 56*A*., 164*A*.
isothermal transformation curves, 168*A*.
lacquered, corrosion, 90*A*.
Lüders lines, effect of low-temperature annealing, 159*A*.
metallographic examination, 58*A*.
National Emergency, properties, 114*A*.
nitrogen content, effect of method of sampling, 164*A*.
normalised, ferrite in, 126*A*.
production, 8*A*., 41*A*., 75*A*., 103*A*., 123*A*., 146*A*.
production, consumption of alloying materials in America, 76*A*.
production, developments, 41*A*.
rimming, properties at high temperatures, 26*A*.
scaling, 78*A*.
separation of slag inclusions, 77*A*.
structural, welding, 14*A*.
technical cohesive strength at low-temperatures, 160*A*.
teeming, oxide impurities thrown out, 106*A*.
temperature distribution, calculation, 219*P*.
tests, 86*A*.
weldability, 49*A*.
Steel Castings, see *Castings, Steel.*
Steel Co. of Canada, plate mills, 125*A*.
Steel Plants :
Carnegie-Illinois Steel Corporation, 42*A*.
Danske Staalvalsevark, A.S., 123*A*.
fuel economy, 1*A*., 95*A*.
Kaiser Company, Inc., 8*A*.
safety precautions, 43*A*.
Stokers :
mechanical, for forge furnaces, 43*A*.
underfeed, for industrial furnaces, 95*A*.
Straightening, rods and tubes, roll pressures, 107*A*.
Straightening Machines, 150*A*.
Strain :
measurement, bibliography, 87*A*.
measurement, capacity methods, 22*A*.
measurement, use of lacquer coatings, 22*A*.
Strain Gauges, 22*A*.
electrical, 87*A*.
Tuckerman, 162*A*.
Stress :
distribution at neck of tensile test bars, 52*A*.
yield, relation to hardness, 133*A*.
Stress-Elongation Relationship in creep tests, 88*A*.
Stress-Temperature Relationship in creep tests, 88*A*.
Stress-Relief :
cast iron, 13*A*.
large components, 108*A*.
steel castings, 13*A*.
tubes by induction heating, 128*A*.
welds by peening, 129*A*.
Stresses :
alternating torsional, effect on plastics and metals, 112*A*.
due to combined bending and twisting, 23*A*.
in welds, 155*A*.
internal, in girders, determination, 23*A*.
internal, study by X-ray diffraction, 28*A*.
local, effect in welds, 155*A*.
residual, in metals, 12*A*.
shrinkage, in welds, 154*A*.
tessellated, 183 *Paper.*
Strength, metals, 159*A*.
Strip :
cold-rolled, properties, 87*A*.
continuous, welding machine for, 82*A*.
effect of cold rolling, 111*A*., 150*A*.
electro-tinning, 20*A*.
gas pickling, 83*A*.
Strip Mills, conversion for rolling plates, 79*A*.
Structural Steel :
production in electric furnaces, 76*A*.
safety factor, 22*A*.
temper brittleness, effect of phosphorus, 165*A*.
welded, fatigue, 50*A*.
welding, 14*A*.
Structure :
atomic, relation to hardness, 29*A*.
initial, effect in cast steel, 165*A*.
metals and alloys, 135*A*.
Sulphides, reducibility, 97*A*.
Sulphur :
control in basic electric furnaces, 105*A*.
determination in cast iron, 170*A*.
effect in cast iron, 114*A*.
recovery from coke-oven gas, Thylox plant, 2*A*., 71*A*.
Sulzer Process for cooling coke, 140*A*.
Superheater Tubes, steels for, 88*A*.
Supersonic Waves, effect on surface reactions of metals, 108*A*.
Supersonics, use for detecting defects, 133*A*.
Surface Films on chromium-nickel steel, 81*P*.
Surface Finish, measurement, 88*A*.
Surface Meter, Talysurf, 88*A*.
Surface Reactions, effect on supersonic waves, 108*A*.
Surfaces, micro-topography, 167*A*.
Symington-Gould Corporation, foundry plant, 122*A*.

Talysurf Surface Meter, 88*A*.
Technical Cohesive Strength, metals at low temperatures, 160*A*.
Teeming :
steel through two nozzles, 42*A*.
steel, oxide impurities thrown out, 106*A*.
Temper Brittleness, structural steel, effect of phosphorus, 165*A*.
Temperature Gradients, blast-furnace linings, 98*A*.
Temperature-Indicating Paints, 46*A*.

Temperatures :
annealing, effect on cast steel, 165*A*.
control in blast-furnace stoves, 98*A*.
control in forge furnaces, 78*A*.
cutting, tools, measurement by temperature-indicating paints, 151*A*.
distribution in steel, calculation, 219*P*.
effect on metals, electrical conductivity, 55*A*.
effect on metals, oxidation, 55*A*.
high, fatigue of chromium-molybdenum-steel, 88*A*.,
high, fatigue of chromium steel, 88*A*.
high, fatigue of molybdenum steel, 88*A*.
high, fatigue of steel, 55*A*.
high, properties of alloy steel, 26*A*.
high, properties of carbon steel, 26*A*.
high, properties of metals, 133*A*.
high, properties of rimming steel, 26*A*.
low, impact tests of chromium-molybdenum-nickel steel, 27*A*.
low, properties of welds, 51*A*.
low, properties of welds, bibliography, 51*A*.
low, technical cohesive strength of metals, 160*A*.
low, treatment of steel parts, 82*A*.
low, use for shrink fits, 153*A*.
measurement, 151*A*.
measurement, coke-oven walls, 46*A*., 99*A*.
quenching, effect on end-quench tests, 25*A*.
tempering, effect on steel, 111*A*.
Tempering, high-speed steel, effect of low-temperature quenching, 47*A*.
Tempering Temperature, effect on steel, 111*A*.
Tennessee Coal, Iron and Railroad Co., plate mills, 125*A*.
Tensile Strength :
cast iron, 160*A*.
chromium-manganese-molybdenum-nickel steel, 57*A*.
welds, 129*A*.
Tensile Test Bars, stress distribution at neck, 52*A*.
Tensile Tests, 52*A*.
compared with notched bar impact tests, 160*A*.
effect of specimen shape on elongation, 160*A*.
impact, 52*A*.
Tessellated Stresses, 183 *Paper*.
Test Bars :
fatigue, machining, 158*A*.
tensile, stress distribution at neck, 52*A*.
Testing Machines, micro hardness, 54*A*.
Tests :
bend, rails, 24*A*.
bend, welds, 49*A*.
compression, steel, 161*A*.
corrosion, atmospheric, position of specimen, 91*A*.
corrosion, salt-spray, 135*A*.
corrosion, salt spray, black-oxide coatings, 85*A*.
corrosion-resistant paints, 136*A*.
creep, 133*A*.
Tests (*contd.*)—
creep, correlation of short-time and long-time, 163*A*.
creep, stress/elongation-rate relationships, 88*A*.
creep, stress-temperature relationship, 88*A*.
cutting, diamond tools, 158*A*.
cutting, high-speed steel, 158*A*.
deep-drawing, 11*A*.
drop, rails, 24*A*.
electronic, 25*A*.
fatigue, 52*A*.
ferromagnetic, 25*A*.
hardenability, Jominy, 81*A*., 87*A*.
hardenability, Jominy, effect of quenching temperature, 25*A*.
hardenability, Jominy, use of cast specimens, 112*A*.
hardness, micro, 112*A*.
hot-workability, 111*A*.
impact, chromium-molybdenum-nickel steel at low-temperatures, 27*A*.
impact, notched bar, 86*A*.
impact, notched-bar, interpretation, 23*A*.
magnetic, 25*A*., 113*A*.
non-destructive, 132*A*.
sintering, moulding sand, 73*A*.
spot welds, 51*A*.
steel, 86*A*.
tensile, 52*A*.
tensile, compared with notched-bar impact tests, 160*A*.
tensile, effect of specimen shape on elongation, 160*A*.
tensile, impact, 52*A*.
wear, heat of friction and temperature changes, 162*A*.
welds, 157*A*.
wire, 52*A*.
Texas, charcoal pig iron plant, 36*A*.
Thermal Expansion, silicon cast iron, 134*A*.
Thermit, welding, 13*A*.
Thermobloc Recuperators, 2*A*.
Thorium, effect in steel, 134*A*.
Thylox Plant for recovery of sulphur from coke-oven gas, 2*A*., 71*A*.
Timber, safety factor, 22*A*.
Timken Steel and Tube Co., electric furnace practice, 105*A*.
Tin :
creep, 88*A*.
determination in steel, 116*A*.
effect in chromium magnet steel, 54*A*.
electrodeposition, 21*A*.
Tinned Sheets, spot welding, 15*A*.
Tinning :
cast iron, 132*A*.
electrolytic, 84*A*.
electrolytic, strip, 20*A*.
Tinplate, rust-proofing, 131*A*.
Titaniferous Pig Iron, production, 121*A*.
Titanium :
effect in cast steel, creep, 55*A*.
for steel making, 104*A*.
Tomlinson & Co., Ltd., foundry plant, 38*A*.

Tool Steel :
brazing, 17*A*.
carburising, 81*A*.
coding system for, 158*A*.
determination of vanadium, 116*A*.
properties, 18*A*., 111*A*.
Tools :
carbide, brazing, 17*A*.
chromium plating, 83*A*.
cutting, relation between weldability and wear, 17*A*.
cutting temperature, measurement by temperature-indicating paints, 151*A*.
diamond, cutting tests, 158*A*.
machine, steels for, 57*A*.
welding of high-speed steel tips to carbon-steel shanks, 157*A*.
Torsional Stresses, alternating, effect on plastics and metals, 112*A*.
Tractor Links, heat treatment, 153*A*.
Training, foundrymen, 72*A*.
Transformation Curves :
isothermal, cast iron, 168*A*.
isothermal, steel, 168*A*.
Tropenas Converters, manufacture of steel castings, 339*P*.
Tube Steel, properties at high-temperatures, 26*A*.
Tubes :
aircraft, heat treatment, 81*A*.
aircraft, properties, 57*A*.
boiler, heat transmission, 96*A*.
boiler, production of headers for, 43*A*.
centrifugal casting, 145*A*.
chromium-molybdenum steel, fatigue, 53*A*.
chromium-molybdenum steel, induction heating, 127*A*.
chromium-steel, weldability, 15*A*.
draw-benches for, 44*A*.
flame spinning, 124*A*.
straightening, roll pressures, 107*A*.
stress relief by induction heating, 128*A*.
superheater, steels for, 88*A*.
welded, effect of cold drawing, 23*A*.
welded, fatigue, 50*A*.
Tuckerman Strain Gauge, 162*A*.
Tungsten, effect in chromium magnet steel, 54*A*.
Tungsten-Carbide Tools, induction brazing, 17*A*.
Tungsten-Titanium Carbide, use for milling cutters, 158*A*.
Turbines :
gas, alloys for, 26*A*.
gas, steel for, 89*A*.
gas, use for blowing blast-furnaces, 121*A*.
Turning Lathe for rolls, 18*A*.
Twist Drills, chromium plating, 83*A*.

Underfeed Stokers for industrial furnaces, 95*A*.
Union Wire Rope Corp., production of wire rope, 124*A*.
Unionmelt Welding Process, 157*A*.
United Kingdom :
iron industry, labour problems, 146*A*.
iron industry, research in, 146*A*.
United Kingdom (*contd.*)—
iron ore deposits, 138*A*.
iron ore reserves, 138*A*.
United States :
arc furnace construction, 9*A*.
coking industry, 97*A*.
conservation of alloying materials, 89*A*., 114*A*.
consumption of alloying materials, 76*A*.
development of arc furnaces, 77*A*.
development of electric-furnace industry, 104*A*.
increase of steel production, 76*A*.
iron and steel industry, expansion, 75*A*.
iron ore concentration plants, 32*A*.
iron ore deposits, 138*A*.
iron ore mining, 138*A*.
plate mills, 125*A*.
production of ferro-alloys, 36*A*.
scrap situation, 76*A*.
United Steel Companies, Ltd., blast-furnace practice at Appleby-Frodingham 141*A*., 375*P*.

Valve Steel, properties, 163*A*.
Valves, welding, 154*A*.
Vanadium :
determination in tool steel, 116*A*.
effect in cast steel, creep, 55*A*.
effect in chromium magnet steel, 54*A*.
for steel making, 104*A*.
Vanderbijl Plate Mill, 108*A*.
Van der Horst Corporation, chromium plating of cylinder liners, 84*A*.
Varnish, drying by radiant heating, 85*A*.
Vickers Hardness, relation to Brinell hardness, 162*A*.
Vinten Camera, 28*A*.
Volatile Matter, determination in fuel, 66*A*.
Voltmeters, 79*A*.

Washington, iron ore deposits, 138*A*.
Water, boiler, chemical treatment, 29*A*.
Wear :
engine cylinder liners, 88*A*.
relation to weldability of cutting tools, 17*A*.
Wear Tests, heat of friction and temperature changes, 162*A*.
Weirton Steel Co. :
boiler plant, 95*A*.
electrolytic tinning plant, 84*A*.
electroplating plant, 20*A*.
Weld-Crack Sensitivity, steel, 49*A*.
Weld Metal, ductile, 14*A*.
Weldability :
alloy steel, 16*A*.
alloy steel, effect of hydrogen, 156*A*.
cast steel, 55*A*.
chromium-manganese-molybdenum-nickel steel, 57*A*.
chromium-steel tubes, 15*A*.
high-tensile steel, 50*A*.
low-alloy steel, 50*A*.
relation to wear of cutting tools, 17*A*.
silicon-manganese steel, 16*A*.
spot, steel, 15*A*.
steel, 49*A*.

Welded Joints :
fatigue, 14*A*.
taking of test plugs, 129*A*.
Welded Parts, compared with Meehanite castings, 122*A*.
Welded Tubes, effect of cold-drawing, 23*A*.
Welding :
arc, automatic, 109*A*.
arc, submerged, 157*A*.
atomic hydrogen, 82*A*.
boilers, 157*A*.
cast iron, use of cast-iron rods, 14*A*.
electric, 154*A*.
flash-butt, 110*A*.
high speed steel to carbon-steel shanks, 17*A*., 157*A*.
iron castings, 154*A*.
pressings, 154*A*.
pressure vessels, 157*A*.
rails, 13*A*.
railway track, 13*A*.
rolling mill equipment, 13*A*.
spot, coated sheets, 15*A*.
steel castings, 129*A*.
structural steel, 14*A*.
thermit, 13*A*.
Unionmelt process, 157*A*.
valves, 154*A*.
Welding Electrodes :
arc, production, 82*A*.
Arcos, 14*A*.
coated, production, 128*A*.
control of moisture in coatings, 157*A*.
metallic, 48*A*., 157*A*.
tests, 82*A*.
Welding Machines :
for continuous strip, 82*A*.
for upset forging, 78*A*.
Welding Terms, Russian-English dictionary, 130*A*.
Welds :
bend tests, 49*A*.
butt, fatigue, 50*A*.
butt, stress cycle across, 155*A*.
cracks in, 16*A*., 49*A*., 154*A*., 155*A*., 156*A*.
cracks, effect of hydrogen, 129*A*.
effect of local stresses, 155*A*.
effect of peening, 82*A*.
effect of peening, bibliography, 82*A*.
fatigue, 156*A*.
fatigue, effect of heat treatment, 110*A*.
fissures in, 51*A*.
hardened zone, failure, 154*A*., 155*A*.
peening, for stress relief, 129*A*.
properties at low temperatures, 51*A*.
properties at low temperatures, bibliography, 51*A*.
shrinkage stresses, 154*A*.
spot, tests, 51*A*.
Welds (*contd.*)—
tensile strength, 129*A*.
testing, 157*A*.
X-ray examination, 58*A*., 89*A*., 90*A*., 110*A*., 167*A*.
Wetting Agents, use in degreasing steel, 18*A*.
Whirlgate Head, for steel castings, 5*P*.
Wiberg Direct Process, 3*A*., 36*A*., 121*A*.
Williams, J. H., & Co., forge furnaces, 78*A*.
Williams Process of continuous casting, 39*A*., 40*A*.
Wire :
carburisation, continuous, 152*A*.
drawing, 79*A*.
drawing, coatings used, 149*A*.
drawing, dies for, 11*A*.
drawing, effect of back pull, 11*A*.
drawing machines, 149*A*.
galvanised, drawing, 45*A*.
stainless steel, treatment in molten glass, 149*A*.
tests, 52*A*.
Wire-Block Machines, electric driving, 124*A*.
Wire Rod, cooling banks for, 149*A*.
Wire Rope :
construction and properties, 87*A*.
production, 124*A*.
safety factor, 22*A*.
Workability Tests, 111*A*.
Worn Parts, building-up by welding, 157*A*.

X-Ray Diffraction Analysis, preparation of materials for, 63*A*.
X-Ray Diffraction Method, for studying internal stresses, 28*A*.
X-Ray Examination :
metals, 58*A*., 167*A*.
welds, 58*A*., 89*A*., 90*A*., 110*A*.
X-Ray Radiographs, elimination of secondary radiation, 58*A*.

Yale and Towne Manufacturing Co., carburisation of gears, 127*A*.
Yield Stress, relation to hardness, 133*A*.
Youngstown Sheet and Tube Co., stock piling of iron ore, 99*A*.

Zaporozhstal Works, blowing-in of blast-furnace, 120*A*.
Zeiss-Ikon Camera, 28*A*.
Zinc Plating, aircraft parts, 131*A*.
Zinc Coated Sheets, spot-welding, 15*A*.
Zinc Coatings :
passivated, properties, 19*A*.
phosphatising, 83*A*., 84*A*.

NAME INDEX.

Abraham, W., elected Member, 2*P*.
Ackley, F. E., control equipment for induction hardening, 47*A*., 127*A*.
Adam, J. L., elected Member, 2*P*.
Agnew, J. T., corrosion of alloy steel by steam, 115*A*.
Airedale of Gledhow, Lord, obituary notice, 471*P*.
Akers, C. E., charging of electric furnaces for rapid melting, 105*A*.
Akhurst, W. A., charging of blast-furnaces, 409*P*.
Albus, C. P., properties of cores at high temperatures, 73*A*.
Alexander, J. J., control of moisture in blast, 2*A*., 71*A*.
Alleman, N. J. :
drop and bend tests of rails, 24*A*.
cooling containers for rails, 24*A*.
cracks in rails, 24*A*.
fatigue of rail joint bars, 24*A*., 166*A*.
Allen, W. L., effect of elements in cast iron, 114*A*.
Améen, E., Wiberg sponge iron process, 3*A*., 36*A*.
Amstein, E. H., spectrum analysis, 64*A*.
Anderson, R. H., gas-fired furnaces, 108*A*.
Anderson, R. V. :
moisture in electrode coatings, 157*A*.
test plugs from welded joints, 129*A*.
Andrews, S. G., surface protection of aircraft parts, 135*A*.
Andrews, W., arc-welding electrodes, 82*A*.
Appleby, S., foundry practice of Buffalo Foundry and Machine Co., 6*A*.
Arblaster, H. E., science in the foundry, 102*A*.
Arend, A. G., combined gas producer and iron recovery plant, 97*A*.
Arend, H. :
deep-drawing tests, 11*A*.
effect of nickel in chromium-manganese-vanadium steel, 56*A*.
Armitage, R., obituary notice, 472*P*.
Armstrong, H. C., underfeed stokers, 96*A*.
Armstrong, T. N. :
characteristics of boil in acid electric-furnace practice, 105*A*.
nickel for steelmaking, 104*A*.
Arnold, S., arc furnaces, 104*A*.
Ashley, S. E. Q., determination of carbon, 116*A*.
Ashworth, W., elected Member, 2*P*.
Atkin, F. R., side-blown converter practice, 353*P*.
Aughtie, F., strain gauges, 22*A*.
Avison, J. M., elected Associate, 3*P*.

Bailey, B. L., manufacture of electrodes, 104*A*.
Baker, I., determination of tin, 116*A*.
Baldwin, R. L., electric steel industry, 104*A*.
Balke, C. W., effect of pressure on properties of metal compacts, 101*A*.
Ball, J. G., welding of low-alloy steel, 50*A*.
Ball, L. W., X-ray examination of welds, 167*A*.
Ballard, J. W., sampling of materials, 63*A*.
Barber, I. J., heating by infra-red rays, 85*A*.
Barker, S. M., elected Member, 2*P*.
Barlow, T. E., addition of inoculants to cast iron, 144*A*.
Barnes, W., use of steel in cupola charges, the addition of inoculants and their effect on cast iron, 144*A*.
Barnett, O. T., coated welding electrodes, 128*A*.
Baron, H. G., elected Associate, 3*P*.
Barrenbrugge, C. C., forging of shells, 78*A*.
Barrett, J. C. :
flash-butt welding, 110*A*.
properties of welded chromium-molybdenum-nickel steel, 156*A*.
Barrett, R. L., rôle of basic slag in dephosphorisation of steel, 77*A*.
Basant, R. N., elected Member, 2*P*.
Basch, D., precision castings, 39*A*.
Baten, W. D., statistical methods in coal analysis, 66*A*.
Baud, R. V., internal stresses in girders, 23*A*.
Beattie, T. J., elected Member, 2*P*.
Beatty, H. M., blast-furnace flux, 99*A*.
Beede, H. C., fatigue of welds, 50*A*., 156*A*.
Beet, A. E., determination of carbon dioxide in coal, 117*A*.
Behrendt, C. A. J., blast-furnace refractories, 462*P*.
Belcher, R. :
determination of moisture and ash in coal, 66*A*.
organic reagents in micro-analysis, 169*A*.
Bellew, G. E., use of oxyacetylene cutting in foundries, 158*A*.
Bengough, G. D., obituary notice, 472*P*.
Bennett, C. C., elected Member, 2*P*.
Berger, P., elected Associate, 3*P*.
Bergsman, E. B., microhardness tests, 112*A*.
Berk, A. A., prevention of caustic embrittlement, 115*A*.
Bernhult, E., roll pressures in straightening machines, 107*A*.
Bertschinger, R., fatigue and notch sensitivity of cast iron, 53*A*.
Betz, C. E., Magnaflux test, 133*A*.
Beynon, Sir J. W., obituary notice, 473*P*.
Bibber, L. C., spot weldability of steel, 15*A*.
Birdsall, G. W. :
arc welding, 109*A*.
distortion of parts during heat-treatment, 128*A*.
electrostatic detearing, 22*A*.
expansion and shrink fits, 48*A*.

Bishop, A. H., elected Member, 2*P*.
Bishop, D. A., elected Associate, 3*P*.
Bissell, A. G., tests of welded joints, 129*A*.
Bissett, G., use of National Emergency steel for machine tool parts, 57*A*.
Bitsianes, G., blast-furnace flux, 99*A*.
Black, A. J. W., underfeed stokers, 96*A*.
Black, J. F., temperature measuring and fuel control systems of Atlas Steels, Ltd., 151*A*.
Black, L. V., control of arc furnaces, 123*A*.
Black, W. E., effect of cold-drawing on welded-steel tubing, 23*A*.
Blackwood, P., centrifugal casting, 145*A*.
Blakiston, J., core production, 74*A*.
Blaschinz, W., gas producers, 34*A*.
Blosjo, H. H., production of high-temperature metal in electric furnaces, 106*A*.
Boericke, F. S., equilibria in reduction of chromic oxide by carbon, 71*A*.
Boettner, E. A., use of multiplier phototubes in spectrum analysis, 63*A*.
Bogatzki, G., determination of vanadium, 116*A*.
Bond, J. A., reduction in blast-furnaces, 467*P*.
Bonsack, W., aluminium for steelmaking, 104*A*.
Booth, H., action of carbon-dioxide and carbon-monoxide mixtures on fireclay, 94*A*.
Borchers, K.-O., design of burners, 119*A*.
Bordeaux, J., standard methods of quality control, 158*A*.
Bosher, L., elected Member, 2*P*.
Bourggraff, R., scaling of steel, 78*A*.
Bowman, F. E., distribution of molybdenum in iron-carbon-molybdenum alloys, 60*A*.
Boyd, G. M., cutting of metals, 158*A*.
Boyle, A. J., determination of magnesia in magnesite and dolomite, 170*A*.
Bradbury, D. J., fuel economy in steelworks, 95*A*.
Braham, J. E., elected Member, 2*P*.
Brashares, C. A., refractories for electric furnaces, 104*A*.
Brautigam, F. C., hardening of chromium-molybdenum-nickel steel, 80*A*.
Brearley, H. :
steel specifications, 27*A*.
testing of steel, 86*A*.
Bremer, E. :
production of cast iron cylinders, 145*A*.
steel foundry of General Motors Corp., 38*A*.
Brennan, J., fluorescent materials for inspection purposes, 132*A*.
Brewer, A. F., sulphurised cutting oils, 159*A*.
Brewin, W., permeability of coke, 140*A*.
Brewington, G. P., use of multiplier phototubes in spectrum analysis, 63*A*.
Bridge, A., carbon deposition in blast furnaces, 463*P*.
Bridgman, P. W., stress distribution in tensile specimens, 52*A*.
Briggs, C. W. :
acid electric-furnace practice, 105*A*.
water-quenched steel castings, 153*A*., 154*A*.
Bring, G. G., flotation of hematite, 32*A*.
Brinson, S. W., cores for steel castings, 8*A*.
Brodie, Constance B., microhardness tester, 54*A*.
Brodmeier, H., costing in iron and steel works, 78*A*.
Brommelle, N. S., spectrum analysis, 65*A*.
Brooke, F. W., design of arc furnaces, 104*A*.
Brooke, J. B. R., blast-furnace practice, 454*P*.
Brookes, P. E., elected Associate, 3*P*.
Brooks, H., elected Member, 2*P*.
Brown, E. J., side-blown converter practice, 351*P*.
Brown, H. R., explosibility of metal powders, 143*A*.
Brown, J., State participation in British iron industry, 146*A*.
Brown, R. H., galvanic corrosion, 62*A*.
Brown, W. T., coal cleaning, 139*A*.
Bruckner, W. H., fatigue of welds, 50*A*., 156*A*.
Bryant, F. J., elected Member, 2*P*.
Bryant, J. R., manufacture of hammer heads, 89*A*.
Buchanan, W. Y., sandslinger moulding practice, 145*A*.
Bunting, L., plate rolling practice, 125*A*.
Bureau, A. G., powder metallurgy, 72*A*., 143*A*.
Burkhart, F. W., elected Member, 2*P*.
Burns, R. M., mechanism of corrosion processes, 61*A*.
Burton, H. H., elected Member of Council, 1*P*.

Caden, R., elected Member, 2*P*.
Caine, J. B., iron oxide content of acid electric-steel and slag, 105*A*.
Caldecourt, V. J., spectrum analysis, 64*A*.
Callinan, E. E., arc furnace linings, 70*A*.
Cameron, J., use of spectroscope, 65*A*.
Campbell, D. F., beneficiation of ore, 433*P*.
Campbell, H. A., stainless steel, 57*A*.
Campbell, J. G., elected Member, 2*P*.
Carlson, I. H., weldability of chromium steel tubing, 15*A*.
Carruthers, T. :
fuel consumption in blast-furnaces, 388*P*.
hearth breakouts in blast-furnaces, 406*P*.
Carter, B. C., measurement of displacement and strain, 22*A*.
Castro, C. C., determination of magnesia in magnesite and dolomite, 170*A*.
Cathcart, D., hairline cracks in steel, 132*A*.
Caugherty, J. J., use of glass baths in wire drawing, 149*A*.
Cech, F. C., foundry pattern coatings, 7*A*.
Chalmers, B., non-destructive tests, 132*A*.
Chantry, M. H., use of fuel in heat treatment, 95*A*.
Chaston, J. C., powder metallurgy, 37*A*.

Chesters, J. H. :
blast-furnace refractories, 426*P.*, 448*P.*, 456*P.*
hearth breakouts in blast-furnaces, 406*P.*
Chestnut, F. T., induction furnaces, 104*A.*
Christenson, A. L., effect of quenching temperature on end-quench test, 25*A.*
Chute, G. M., electronics, 150*A.*
Cissel, J. H., atmospheric corrosion of steel buildings, 115*A.*
Clark, E. S., cast iron for pressure equipment, 160*A.*
Clark, H. H., shot blasting of springs, 54*A.*
Clark, N., elected Member, 2*P.*
Clark, N. A., elected Member, 2*P.*
Clarke, K. W., elected Member, 2*P.*
Claxton, C. C., elected Member, 2*P.*
Clayton, H. R., spectrum analysis, 65*A.*
Clenshaw, W. J., measurement of strain, 22*A.*
Clews, F. H., sillimanite bricks, 118*A.*
Clingan, I. C., black oxide finish for stainless steel, 132*A.*
Clingerman, C. P., cleaning of blast-furnace gas, 99*A.*
Coates, A. C., spectrum analysis, 64*A.*
Coates, R. F., training of foundrymen, 72*A.*
Cockrell, W. D., electronics, 150*A.*
Colam, L. D., friction losses in bearings, 79*A.*
Colbeck, E. W., caustic embrittlement in boilers, 62*A.*
Colclough, T. P. :
Paper : "Blast-Furnace Practice," 359*P.* *Joint Discussion*, 375*P.* *Correspondence*, 433*P.* *Author's Reply*, 451*P.*
Comstock, G. F., effect of boron in steel, 165*A.*
Cone, C., controlled atmospheres, 152*A.*
Connell, L. J. C., use of radiant and induction heating, 85*A.*
Conner, W. G., jun., effect of fast melting rates in acid electric-furnace practice on quality of steel, 105*A.*
Cooper, J. H., flash-butt welding, 110*A.*
Cope, L. H., elected Associate, 3*P.*
Copp, J., metal spraying of crankshafts, 85*A.*
Cordovi, shrinkage stresses in welding, 154*A.*
Cordovi, M. A. :
effect of peening on welds, 82*A.*
properties of welded joints at low temperatures, 51*A.*
Russian-English dictionary of welding terms, 130*A.*
Coriolis, E. G. de, controlled atmospheres, 47*A.*
Cornelius, H., effect of thorium in steel, 134*A.*
Cottrell, A. H. :
crack-resistance of austenitic welds, 155*A.*
cracks in welds, 154*A.*, 155*A.*
effect of local stresses in welded structures, 155*A.*
Counselman, T. B.:
concentration of iron ore, 100*A.*
concentration plants in America, 32*A.*
Cover, M. V., Dwight-Lloyd sintering machine, 32*A.*
Cowdery, W. K., forging of forks, 124*A.*
Crafts, W., inclusions in steel, 106*A.*
Craig, W. S. :
induction hardening and brazing, 47*A.*
metallurgical department of Small Arms, Ltd., 21*A.*
Cramer, R. E. :
brunorised rails, 166*A.*
cooling containers for rails, 24*A.*
cracks in rails, 24*A.*
end-hardened rails, 166*A.*
failure of brunorized rails, 24*A.*
fissures in rails, 166*A.*
shelly-spots in rails, 166*A.*
Crane, E. V., powder metallurgy, 72*A.*, 143*A.*
Crawshaw, W. H., elected Member, 2*P.*
Cress, W. C., adherence of enamel to cast iron, 85*A.*
Cresswell, R. A., tinning of cast iron, 132*A.*
Creswell, S. J., properties of Bessemer steel, 86*A.*
Crivan, H. E., synthetic moulding sand, 122*A.*
Crompton, H., elected Associate, 3*P.*
Cross, A. H. B., side-blown converter practice, 352*P.*
Cross, H. C., creep resistance of steel, 163*A.*
Crowther, P. D., crack-resistance of austenitic welds, 155*A.*
Cullen, O. E., heat treatment of forgings, 79*A.*
Cunningham, J. A., repair of worn parts by welding, 157*A.*
Curtis, F. W. :
coil design for induction heating, 12*A.*
induction heating, 152*A.*

Dale, J.:
blast-furnace practice, 398*P.*
break-outs in blast-furnaces, 414*P.*
Daman, E. H., peening of welds, 129*A.*
Daniels, F. C. T., bloom and billet mills, 125*A.*
Danks, W., dies for pressing, 10*A.*
Darsey, V. M., salt-spray test, 135*A.*
Davidson, J., tests of welds, 157*A.*
Davidson, W. F., heat transmission through boiler tubes, 96*A.*
Davies, H. A., obituary notice, 474*P.*
Davies, R. C., phosphate coatings, 21*A.*
Davies, T. J., elected Associate, 3*P.*
Davies, W., and **W. J. Rees :**
Paper : "The Bonding Properties of Mixtures of Petroleum Extracts and Linseed Oil and of the Extracts Themselves," 49*P.*
Paper : "The Effect of Grain Shape on the Moulding Properties of Synthetic Moulding Sands," 19*P.*
Davis, E. W., screening of Lake Superior ore, 99*A.*

Davis, J. D., carbonising properties of coal, 97*A*.
Davison, D. W., printing from radiograph negatives, 28*A*.
Dawihl, W., relation between weldability and wear of cutting tools, 17*A*.
Dawson, J. K., tests of spot welds, 51*A*.
Day, C. R., foundry practice, 37*A*., 103*A*.
Delisle, L., bonding of metal particles, 72*A*.
Denz, E., welding of high-speed steel to carbon steel shanks, 17*A*.
DePoy, S. M., low-temperature treatment of high-speed steel, 82*A*.
Derr, W. A., supervisory control in steel-works, 42*A*.
Desch, C. H., fuel consumption in blast-furnaces, 392*P*.
De Sy, A. L., etch-polishing of metals, 135*A*.
Dewhirst, H., elected Member, 2*P*.
DeWitt, C. C., statistical methods in coal analysis, 66*A*.
Dickson, G., thermal expansion of silicon iron, 134*A*.
Dixon, C. W. S., elected Member, 2*P*.
Dobbins, N. E., sillimanite bricks, 118*A*.
Dohrenwend, C. O., strain gauges, 87*A*.
Donaldson, J. W., tests of metals, 52*A*.
Doré, F. F., manufacture of steel castings in basic electric-furnaces, 105*A*.
Doré, R. E., oxygen cutting of metals, 157*A*.
Dorey, S. F., electrical-resistance strain gauges, 87*A*.
Dovey, D. M., elected Associate, 3*P*.
Draper, C. R., elected Member, 2*P*.
Drechsler, W., hardening of steel direct from rolling, 109*A*.
Drever, G., elected Member, 2*P*.
Drinnan, R. G., rolling mills of Atlas Steels, Ltd., 107*A*.
Duberg, J. E., fatigue of welds, 156*A*.
Dufty, N. F., air-furnace refractories, 94*A*.
Duma, J. A., cores for steel castings, 8*A*.
Dunbeck, N. J. :
  preparation of foundry sand, 38*A*.
  use of bentonite in foundries, 73*A*.
Duncan, D., moulding of propellers, 102*A*.
Dunn, C. G., recrystallisation in silicon ferrite, 59*A*.
Du Rose, A. H., electrodeposition of nickel-iron alloys, 131*A*.
Durrer, R., production of iron, 36*A*.
Dwyer, P. :
  foundry of American Laundry Machinery Co., 75*A*.
  foundry of Symington-Gould Corp., 122*A*.
  plant of Birdsboro Foundry and Machine Co., 5*A*.
  plant of Canadian Car and Foundry Co., 38*A*.

Eastwood, T., iron ore, 432*P*.
Eberhardt, J. E., Pease-Anthony gas washers, 99*A*.
Eddy, W. P., jun., developments in steel production, 27*A*., 110*A*.
Edmiston, J., steel-making practice, 41*A*.
Edsall, H. L., carburisation of gears, 127*A*.
Edwards, C. L. T., use of scrap in blast-furnaces, 98*A*., 100*A*.
Efthymiades, S., elected Member, 2*P*.
Eichinger, A. :
  behaviour of metals under compression, 161*A*.
  creep of steel, 26*A*.
  deformation resistance of cold-worked steel, 161*A*.
  effect of low-temperature annealing on elastic limit of low-carbon steel, 159*A*.
Eilender, W., effect of nickel in chromium-manganese-vanadium steel, 56*A*.
Elder, F. C., wire-drawing dies, 11*A*.
Ellingham, H. J. T., reducibility of oxides and sulphides, 97*A*.
Elliot, G. D., blast-furnace practice at Appleby-Frodingham, 377*P*., 453*P*., 141*A*.
Elliot, W. R., elected Member, 3*P*.
Elliott, G., elected Member, 3*P*.
Engdahl, R. B., pulverised coal for metallurgical furnaces, 96*A*.
Engel, E., comparative properties of ferrous and non-ferrous metals, 86*A*.
Engels, F., supplementary heating of open-hearth checker chambers, 41*A*.
Enlund, B. D., effect of nitrogen on hardening of steel, 112*A*.
Ericsson, N., forge furnaces, 43*A*.
Erler, J., manufacture of steel castings in basic electric furnaces, 105*A*.
Espey, G., fatigue of steel tubing, 53*A*.
Ess, T. J., arc furnaces in United States, 9*A*.
Esser, H., deep-drawing tests, 11*A*.
Evans, C. T., jun., high-temperature alloys, 133*A*.
Evans, E., elected Member, 3*P*.
Evans, G. B., elected Associate, 3*P*.
Evans, U. R. :
  behaviour of metals in nitric acid, 61*A*.
  corrosion of steel houses, 91*A*.
  effect of zinc dust in paint, 29*A*.
Evers, A. :
  annealing of cast steel, 165*A*.
  impact properties of cast steel, 165*A*.
Eynon, D. L., bloom and billet mills, 125*A*.
Eyres, N. R. :
  Paper : "Variable Heat Flow in Steel." *See* Jackson, R.

Fairfield, H. H., metallurgical research, 89*A*.
Fairhurst, W., elected Member, 3*P*.
Fancutt, F., and **Hudson, J. C.** :
  Paper : "The Formulation of Anti-Corrosive Compositions for Ships' Bottoms and Underwater Service on Steel," 269*P*. *Correspondence*, 333*P*. *Authors' Reply*, 337*P*.
Farmer, H. B., briquettes from waste slack, 70*A*.
Farmer, J., effect of elements in high-speed steel, 18*A*.

Farnsworth, E. M., single-slag heats in electric furnaces, 105*A*.
Farnsworth, W. M. :
addition of alloying metals in electric furnaces, 105*A*.
oxidising materials for electric furnaces, 104*A*.
Fassotte, P. C. :
Paper: "Developments in the Design and Use of Side-Blown Converter Plants," 339*P*. *Correspondence*, 349*P*. *Author's Reply*, 356*P*.
Fetters, K. L., oxidising slags for electric furnaces, 105*A*.
Fife, J. G., micro-analysis, 169*A*.
Fisher, A. J., plate furnaces, 148*A*.
Fisher, J. C., relation between notched-bar impact tests and tensile tests, 160*A*.
Fisk, H. G., adherence of enamel to cast iron, 85*A*.
Fisk, P. M. :
tests of corrosion-resistant paints, 136*A*.
use of wetting agents in degreasing sheets, 18*A*.
Fitzjohn, A. P., elected Member, 3*P*.
Fleisch, C. J., cleaning of blast-furnace gas, 99*A*.
Fleming, D., relation between laboratory and foundry, 72*A*.
Foell, A. L., design of blast-furnaces, 99*A*.
Foley, F. B., steelmaking alloys, 104*A*.
Fomster, W., deoxidation of electric steel with calcium-silicon alloys, 105*A*.
Ford, H., machining of fatigue test pieces, 158*A*.
Fornander, A. M. E. F., obituary notice, 474*P*.
Forshaw, J. R., measurement of displacement and strain, 22*A*.
Forsyth, H. G., effect of ingot temperature on blooming-mill production, 107*A*.
Fortune, J. B., drying and oxygen enrichment of blast, 141*A*.
Fosdick, A. H., Pease-Anthony gas washers, 99*A*.
Foster, R. B., stress relieving of steel tubes, 128*A*.
Fountain, L. L., electric power distribution systems, 107*A*.
Fowler, R., burdening of blast-furnaces, 424*P*.
Foxwell, G. E., fuel economy at coke ovens, 2*A*.
Frick, W., electric furnaces, 9*A*.
Friedlander, W., elected Member, 3*P*.
Fritz, K. E., weldability of silicon-manganese steel, 16*A*.
Frommelt, H. A., carbide milling of steel, 158*A*.
Frost, R., hearth breakouts in blast furnaces, 411*P*.
Fry, A., ageing of high-tensile steel, 162*A*.
Fry, D. L., briquetting of samples for spectrum analysis, 64*A*.
Funk, C. R., effect of chrome oxide in basic slag, 103*A*.
Fyfe, C. W., Kyanite for refractory bricks, 118*A*.
Gallaher, J. A., hard facing, 16*A*.
Gardiner, L. H., elected Associate, 3*P*.
Gardner, F., elected Member, 3*P*.
Garrett, P. B., control system for steelworks, 123*A*.
Garside, J. E., inspection and testing of metals, 110*A*.
Garson, S., blast-furnace practice, 434*P*.
Gayley, C. T., ductile weld metal, 14*A*.
Geil, G. W., effect of temperature on metals, 55*A*.
Geil, W. W., technical cohesive strength of metals at low temperatures, 160*A*.
Geller, W., removal of nitrogen in basic open-hearth furnaces, 123*A*.
German, H. M., control of hydrogen in electric furnaces, 105*A*.
Geuder, R. A., electric driving of draw benches and wire blocks, 124*A*.
Gezelius, R. A., water quenching of steel castings, 153*A*.
Gibbons, R. C. :
heat-treatment furnaces, 80*A*.
National Emergency steel, 114*A*.
Gibbs, R. S., determination of tin, 116*A*.
Gilbert, A. E., elected Member, 3*P*.
Gill, J. P. :
chromium-plating, nitriding and case-hardening of tool steel, 81*A*.
effect of sub-zero cooling on tempering of high-speed steel, 47*A*.
Gillett, H. W., properties of engineering materials, 56*A*.
Girling, W. G., blast-furnace refractories, 432*P*.
Given, G. W., welding of high-speed steel tips to carbon-steel shanks, 157*A*.
Glen, C. W. S., steels for engineering industry, 111*A*.
Glen, T., elected Associate, 3*P*.
Glock, C. E., electro-tinning of strip, 20*A*.
Goerz, M. E., electric furnace plant of Republic Steel Corporation, 106*A*.
Gohs, G., valve steel, 163*A*.
Goldsbrough, W., blowing of small converters, 5*A*.
Goodland, E. A., blast-furnace practice, 450*P*.
Goss, N. P., continuous casting, 40*A*.
Graham, G., fuel economy in boiler plants, 1*A*., 70*A*.
Grainger, J. A., small steel pressings, 107*A*.
Graves, F. E., pulverised coal for metallurgical furnaces, 96*A*.
Gray, B. :
Paper: "The Side Feeding of Steel Castings. A Note on the Influence of the Mechanism of Freezing," 5*P*.
Green, A. T. :
action of carbon-dioxide and carbon-monoxide mixtures on fireclay, 94*A*.
blast-furnace refractories, 431*P*.
sillimanite bricks, 118*A*.
Greenberg, J. H., improvement in life of cyanide pots, 152*A*.
Gregory, J. C., metallographic examination, 58*A*.
Griffith, H. J., safety precautions in steelworks, 43*A*.

Griffith, H. M., basic linings for open-hearth furnaces, 1*A*.
Griffiths, N. J., elected Associate, 3*P*.
Gross, D., electronic tests, 25*A*.
Grover, La Motte, welding, 154*A*.
Groves, A. W., beneficiation of low-grade ore, 419*P*.
Gude, W. G. :
casting of breech rings for guns, 122*A*.
foundry plant of Landis Tool Co., 8*A*.
Guettel, C. L., flat surface sparking technique for spectrum analysis, 64*A*.
Gunn, D. C., gas-fired furnaces, 108*A*.
Gunther, D. W., bonding of moulding sand, 39*A*.
Gurry, R. W., determination of carbon, 116*A*.
Guthmann, K. :
operation of blast-furnace stoves, 35*A*.
utilised heating surface of checkers, 123*A*.
Gutman, S. M., separation of slag inclusions, 77*A*.
Gworek, J. M., elected Member, 3*P*.

Hackett, J. W., briquetting of samples for spectrum analysis, 64*A*.
Hacking, R. A., blast-furnace practice, 438*P*.
Hadfield, I. H., micro-chemical analysis, 66*A*.
Haemers, H., etch-polishing of metals, 135*A*.
Hafner, R. H., chromizing, 19*A*.
Hafsten, R. J., isothermal curves for grey iron, 168*A*.
Hague, H. J., electronic detection of pinholes, 79*A*.
Hall, G. E., fuel economy, 118*A*.
Hall, G. S., elected Associate, 3*P*.
Hallas, E., elected Member, 3*P*.
Halle, C. E., elected Associate, 3*P*.
Halliday, I. M. D. :
blast-furnace refractories, 459*P*.
hearth breakouts in blast-furnaces, 403*P*.
Hallsworth, E. G., corrosion of steel by fertilizers, 60*A*.
Hamer, P., caustic embrittlement in boilers, 62*A*.
Hamilton-Adams, T., alloys for gas turbines, 26*A*.
Hancock, E. J., elected Member, 3*P*.
Haney, R. M., determination of magnesia in magnesite and dolomite, 170*A*.
Hanks, W., moulding sands, 102*A*.
Hanna, G. C., production of high-sulphur iron, 98*A*.
Hanson, D. :
crack-resistance of austenitic welds, 155*A*.
cracks in welds, 155*A*.
Hardie, P. H., heat transmission through boiler tubes, 96*A*.
Harding, E. W., Meehanite cast iron, 4*A*.
Hardy, C., powder metallurgy, 100*A*.
Hardy, E. D., reduction in blast-furnaces, 466*P*.
Harlan, B. J., blast-furnace operation, 100*A*.
Harms, F., coreless induction furnaces in steel foundries, 145*A*.
Harris, F. E. :
carbon distribution in carburised cases, 127*A*.
gas carburising, 80*A*.
Harris, H., X-ray examination of welds, 110*A*.
Harrison, G. H., fuel economy, 118*A*.
Harrison, L., elected Associate, 3*P*.
Hartford, R. L., hydraulic press, 124*A*.
Hartley, A. L., classification of steel, 134*A*.
Hartley, H., research in foundry industry, 143*A*.
Hartmann, I., explosibility of metal powders, 143*A*.
Hartree, D. R. :
Paper : "Variable Heat Flow in Steel." *See* Jackson, R.
Haselton, W. D., grading of iron ore, 99*A*.
Hatfield, M. R., temperature gradients through blast-furnace linings, 98*A*.
Haufe, W., hardening cracks in forging dies, 126*A*.
Hauger, F. M., coatings and lubricants in wire drawing, 149*A*.
Havas, G., Fortuna plant of Kaiser Co., 146*A*.
Havens, A., cast-iron welding rods, 14*A*.
Hawkins, G. A., corrosion of alloy steel by steam, 115*A*.
Haythorne, P. A., photometer, 135*A*.
Heckathorn, H. M., production of mortar shells, 124*A*.
Hedvall, J. A., effect of supersonic waves on surface reactions of metals, 108*A*.
Heiken, C., basic-lined cupolas, 3*A*.
Heilig, W. E., valve steel, 163*A*.
Hempel, M., fatigue of steel at high temperatures, 55*A*., 88*A*.
Hendry, R., moulding of cylinders, 75*A*.
Henry, O. H., peening of welds, 129*A*.
Herington, C. F., pulverised-coal-fired furnaces, 96*A*.
Herres, S. A. :
weldability of alloy steels, 16*A*.
welding of alloy steel, 49*A*.
Herty, C. H., jun., conservation of materials for steelmaking, 76*A*.
Heuer, R. P., refractories for electric furnaces, 104*A*.
Heuschkel, J., spot weldability of steel, 15*A*.
Heyer, R. H., relation between Vickers and Brinell hardness, 162*A*.
Hicks, C. W., use of steel in cupola charges, the addition of inoculants and their effect on cast iron, 144*A*.
Hidnert, P., thermal expansion of silicon iron, 134*A*.
Hill, W. P., boiler practice at Bethlehem Steel Co., 95*A*.
Himmelberg, G., use of current rectifiers for mill motors, 125*A*.
Hind, W., heat-treatment furnaces, 47*A*.

Hinman, C. W. :
blanking and forming dies, 44*A*.
production of steel cups, 149*A*.
progressive dies, 78*A*.
Hipperson, A. J. :
fatigue of welded nickel steel, 51*A*.
spot-welding of rust-proofed sheets, 15*A*.
Hjerdin, S., plant of Danske Staalvalsevaerk, 123*A*.
Hobson, J. D., elected Associate, 3*P*.
Hodgson, E. R., elected Associate, 3*P*.
Hodson, T.R., blast-furnace practice, 412*P*.
Hoefer, K., testing of cast iron, 160*A*.
Hoffman, C. F., cooling of blast-furnace tap-holes, 121*A*.
Hogberg, C. G., blowing lime through blast-furnace tuyeres, 99*A*.
Holden, H. A., phosphate coatings, 21*A*.
Hollings, J. S., carbon hearths for blast-furnaces, 400*P*.
Hollingworth, S. E., Northamptonshire ironstone field, 138*A*.
Hollomon, J. H. :
notched-bar impact test, 86*A*.
plastic flow and rupture of metals, 53*A*.
Holm, S., heat transmission in air preheaters, 96*A*.
Holmes, C. R., carbonising properties of coal, 97*A*.
Hopkin, G. L., effect of hydrogen on cracks in welds, 129*A*., 156*A*.
Hopkin, L. M. T., elected Associate, 3*P*.
Hopper, J. H., electronics. 150*A*.
Horne, J. A., elected Associate, 3*P*.
Horth, W., reclamation of foundry sand, 145*A*.
Horton, F. W., ferro-alloys, 36*A*.
Horton, S. W., elected Associate, 3*P*.
Hoskison, T., blast-furnace practice, 401*P*.
Hothersall, A. W., adhesion of electroplated coatings, 131*A*.
Hudson, J. C. :
Paper : "The Formulation of Anti-Corrosive Compositions for Ships' Bottoms and Underwater Service for Steel." *See* Fancutt, F.
Hülsbruch, W., annealing of high-carbon steel, 127*A*.
Hummer, E. D., coal washing, 96*A*.
Hummon, C. G., determination of nickel in steel, 170*A*.
Humphreys, C. G. R., heat transmission through boiler tubes, 96*A*.
Hunter, A., fatigue of welded nickel steel, 51*A*.
Hunter, E., high-duty iron castings, 144*A*.
Hurst, J. E. :
centrifugal casting, 145*A*.
cold-blast iron, 3*A*.
properties of high-silicon cast iron, 114*A*.
elected Hon. Member of Council, 1*P*.

Ihrig, H. K., hot-workability tests of steel, 111*A*.
Iles, N. W. M., elected Member, 3*P*.
Imhoff, W. G., galvanising, 84*A*.
Inan, M., internal stresses in girders, 23*A*.
Ineson, E., elected Member, 3*P*.
Ingham, H., adherence of sprayed metals, 22*A*., 132*A*.
Ingham, J. :
Paper : "Variable Heat Flow in Steel." *See* Jackson, R.

Jackson, A., blast-furnace refractories, 464*P*.
Jackson, C. E. :
effect of quenching temperature on end-quench test, 25*A*.
weldability of silicon-manganese steel, 16*A*.
Jackson, C. M., anti-corrosive paints, 333*P*.
Jackson, H. H., ferromagnetic tests, 25*A*.
Jackson, R., R. J. Sarjant, J. B. Wagstaff, N. R. Eyres, D. R. Hartree, and **J. Ingham :**
Paper : "Variable Heat Flow in Steel," 211*P*. *Correspondence,* 267*P*. *Authors' Reply,* 268*P*.
Jackson, R. W., gas-fired furnaces, 119*A*.
Jacoby, R. H., determination of chromium, nickel and manganese, 116*A*.
Janco, N., centrifugal casting, 75*A*.
Janssen, W. A., sponge iron, 121*A*.
Jarrett, T. C., effect of temperature on hardness of chromium-plated rings, 113*A*.
Jellinghaus, W., iron-nickel-aluminium-cobalt-copper alloys with preferred magnetisation, 54*A*.
Jennings, A. J., lubrication of blast-furnace equipment, 121*A*.
Jensen, R. S. :
batter of end-hardened rails, 24*A*., 166*A*.
fissures in rails, 166*A*.
Jessop, G., electro-chemical analysis, 66*A*.
Jimeno, E., effect of quenching on cast iron, 87*A*.
Jobborn, C. A., elected Member, 3P.
Johansen, F. C., high-speed cinematography, 28*A*.
Johnson, G. H., fuel consumption in blast-furnaces, 379*P*.
Johnson, G. W., chromium-molybdenum-nickel steel castings, 79*A*.
Johnson, H. O. :
Brassert gas washer, 97*A*.
construction of blast-furnace hearths, 120*A*.
Johnson, H. W., effect of coke properties on blast-furnace practice, 98*A*.
Johnson, W. A., repair of high-speed steel by brazing, 17*A*.
Johnston, D. B., electric welding, 154*A*.
Jones, A., elected Associate, 3*P*.
Jones, B., elected Member, 3*P*.
Jones, F. G., hard facing, 16*A*.
Jones, J. H., preparation of coke samples, 66*A*.
Jones, J. S., plating of metals, 21*A*.
Jones, W. R. D., properties of steel castings, 180*P*.
Joseph, T. L., blast-furnace flux, 99*A*.
Junck, G., refractories, 118*A*.

Jungbluth, H., relation between pressure and volume of blast and cupola dimensions, 121*A*.
Junge, C. O., jun., plasticity of coal, 97*A*.
Juppenlatz, J., control of refining slags in acid electric furnaces, 105*A*.
Juppenlatz, J. W. :
blind risers for steel castings, 145*A*.
water-quenching of steel castings, 153*A*.

Kalischer, P. R. :
determination of particle size in powder metallurgy, 72*A*.
effect of particle size on shrinkage of metal compacts, 101*A*.
Kapur, U. M., elected Member, 3*P*.
Karlsson, H., heat transmission in air preheaters, 96*A*.
Kayser, J. F., micro-topography of reflecting surfaces, 167*A*.
Kehoe, W. K., magnetic tests, 113*A*.
Kellaway, G. A., Northamptonshire ironstone field, 138*A*.
Kempf, H., nitrogen content of steel, 164*A*.
Kerley, D. J., determination of moisture in fuel gas, 117*A*.
Kerns, E. E., welding of valves, 154*A*.
Kerr, D. M., mild steel electrodes, 82*A*.
Kielb, J. V., cupro-nickel clad steel, 49*A*.
Kiessler, H., effect of elements on temper brittleness and hot brittleness of structural steel, 165*A*.
Kilby, J. N., primary furnaces for steel production, 466*P*.
Kincaid, H. F., spectrographic analysis, 117*A*.
King, C. D. :
coal washing, 100*A*.
increase of production in open-hearth plants, 147*A*.
King, J. G., caking of coal, 71*A*.
King, T. B., elected Associate, 3*P*.
Kinney, J. A., American iron and steel industry, 75*A*.
Kirby, D., pure-oxide refractories, 118*A*.
Kirschfeld, L., ageing of high-tensile steel, 162*A*.
Kjerrman, H.,
effect of nitrogen on hardening of steel, 112*A*.
hydrogen content of steel, 56*A*., 164*A*.
Kleinermanns, F., effect of nickel in chromium-manganese-vanadium steel, 56*A*.
Klier, E. P., Bainite reaction in hypo-eutectoid steel, 168*A*.
Klimek, A. J., gates and risers for malleable iron castings, 74*A*.
Klopstock, H., elected Member, 3*P*.
Klouman, F., elected Member, 3*P*.
Knight, H. A. :
low-temperature treatment of gauges, 82*A*.
shrink fits, 153*A*.
Knowlton, H. B., medium-carbon low-alloy steel, 27*A*.
Knox, J. D. :
removal of blast-furnace bears, 71*A*.
water-cooled doors for open-hearth furnaces, 103*A*.
Knuth-Winterfeldt, E., electrolytic polishing, 28*A*.
Knutson, S. B., machining of high-carbon steel, 158*A*.
Kobitzsch, R., wear tests, 162*A*.
Kommel, A. R., ferrite in normalised steel, 126*A*.
Kondic, V., continuous casting, 122*A*.
Körber, F. :
behaviour of metals under compression, 161*A*.
deformation resistance of cold-worked steel, 161*A*.
plastic deformation of metals, 161*A*.
Körös, B., life of ingot moulds, 148*A*.
Kozma, J. L., annealing of alloy steel in controlled atmospheres, 108*A*.
Krainer, H. :
effect of elements on chromium-bearing magnet steel, 54*A*.
effect of elements on hardenability of steel, 126*A*.
Kramer, A. C., continuous heat-treatment plant, 153*A*.
Kramer, I. R., chromizing, 19*A*.
Kraner, H. M., blast-furnace refractories, 70*A*.
Krisch, A. :
creep of steel, 55*A*., 163*A*.
effect of tempering temperature on steel, 111*A*.
Krivobok, V. N., steel castings for aircraft construction, 166*A*.
Krug, H., fatigue of steel at high temperatures, 55*A*., 88*A*.
Kühnel, R., cracks in rails, 166*A*.
Kuhner, M. H., boiler design, 33*A*.
Kukla, O., heat-treatment direct from rolling, 126*A*.
Küntscher, W., heat treatment direct from rolling, 126*A*.
Kurnakov, N. N., disintegration of ferro-manganese, 100*A*.
Kuzmick, J. F., metal powders for friction materials, 101*A*.

Labeka, C. L., desulphurisation of pig iron, 98*A*.
Lancashire, E., charging of electric furnaces for rapid melting, 105*A*.
Landry, B. A., coal sampling, 170*A*.
Lang, M., use of paints for determining cutting temperature, 151*A*.
Langrish, R. D., elected Member, 3*P*.
LaQue, F. L., elected Member, 3*P*.
Larke, R. H., washing of coke-oven gas, 120*A*.
Larrabee, C. P., effect of position of specimen in atmospheric corrosion testing, 91*A*.
Larson, H. L., effect of carbon rods in risers on shrinkage cavity in steel castings, 40*A*.
Lashar, T. H., alloy metal powders, 101*A*.

László, F. :
Paper : "Tessellated Stresses," Part III., 183*P*. *Correspondence*, 207*P*. *Author's Reply*, 209*P*.
Lathrop, W., tests of cast iron, 4*A*.
Lawrence, H., welding electrodes, 48*A*., 157*A*.
Lazan, B. J., properties of materials under alternating torsional stress, 112*A*.
Leadbeater, C. J. :
adhesion of electroplated coatings, 131*A*.
thickness control of electrodeposited coatings, 19*A*.
Leckie, A. H., fuel efficiency in open-hearth furnaces, 76*A*.
Ledwith, R. J., anti-corrosive paints, 335*P*.
Lee, G. W., industrial applications of coke, 119*A*.
Lee, R., elected Member, 3P.
Lehrer, W., heat treatment of aircraft tubes, 81*A*.
Lendl, A. E., calibration of rolls for flat-bottomed rails, 46*A*.
Lent, H., use of poor coal in boilers, 139*A*.
Levine, W. S., determination of copper in steel and cast iron, 65*A*.
Levy, C. C., electrical equipment for arc furnaces, 104*A*.
Lewin, H., elected Member, 3*P*.
Libby, C. E., corrosion of tin cans, 136*A*.
Libert, W. B., water-quenched steel castings, 153*A*., 154*A*.
Liedholm, C. A., continuous cooling transformation diagram, 47*A*.
Lincoln, R. A., stainless steel, 26*A*.
Linden, K. v. d., pusher-type furnaces, 43*A*.
Linder, F. W., oxide impurities thrown out in teeming steel, 106*A*.
Lindgren, R. A. :
effect of screened and sintered ore on blast-furnace production, 100*A*.
silica content of Lake Superior ore, 99*A*.
Lindsey, W. M., elected Member, 3*P*.
Linley, A., molybdenum as a substitute for tungsten in high-speed steel, 165*A*.
Lipetz, M. E., separation of slag inclusions, 77*A*.
Lippert, T. W., continuous casting, 39*A*.
Lloyd, A., elected Associate, 3*P*.
Lloyd, E. S., elected Member, 3*P*.
Lloyd, T. E. :
induction hardening, 152*A*.
submerged heating of pickling tanks, 83*A*.
Loeb, C. M., jun., molybdenum for steel-making, 104*A*.
Long, J. A. J., detection of cracks in welds, 51*A*.
Longenecker, C. :
bar mill of Jessop Steel Co., 46*A*.
rolling mills of Copperweld Steel Co., 150*A*.
Lorig, C. H., malleablisation of cast iron, 122*A*.
Loux, J. H., metallic recuperators, 119*A*.
Loveland, R. P., colour photomicrography, 135*A*.
Lowe, C. S., cleaning with solvent emulsions, 130*A*.
Lowry, H. H., plasticity of coal, 97*A*.
Lozinskiy, M. G., induction hardening, 127*A*.
Lueg, W. :
determination of temperature change in metals, 151*A*.
effect of back pull in wire drawing, 11*A*.
recording instruments for changes in temperature, pressure and stress, 151*A*.
Lundquist, C., elected Member, 3*P*.
Luther, G. G., weldability of silicon-manganese steel, 16*A*.
Lyman, T., Bainite reaction in hypo-eutectoid steel, 168*A*.
Lynn, J. M., charging of electric furnaces for rapid melting, 105*A*.
Lype, E. F., heat transmission, 96*A*.

McAdam, D. J., Jun. :
effect of temperature on metals, 55*A*.
technical cohesive strength of metals at low temperatures, 160*A*.
McAfee, J., structure of metals, 135*A*.
McBride, F. D., repair of damaged zinc coatings, 131*A*.
McBroom, J., electrode control, 104*A*.
McCartney, J. T., carbonising properties of coal, 97*A*.
McCaughey, W. J., rôle of basic slag in dephosphorisation of steel, 77*A*.
Macconochie, A. F. :
crossroll forging of shells, 10*A*.
flow of steel in upset forging. 44*A*.
McCrackin, T. H., jun., fatigue of butt welds, 50*A*.
McDonald, C. S., elected Member, 3*P*.
Mace, E. W., dies for drop forging, 78*A*.
McElrath, T., jun., flame-spinning process for closing tube ends, 124*A*.
McElwee, R. G., addition of inoculants to cast iron, 144*A*.
MacEwan, J. U., elected Member, 3*P*.
McGavin, R. F., elected Associate, 3*P*.
McGranahan, C. L., plate-rolling capacity in America, 79*A*.
MacGregor, C. W., relation between notched-bar impact tests and tensile tests, 160*A*.
McIntosh, F. F., obituary notice, 475*P*.
McKee, A. G., increase in size of blast-furnaces, 99*A*.
Mackenzie, J., elected Associate, 3*P*.
MacKenzie, J. T., properties of grey cast iron, 160*A*.
McKimm, P. J., properties of cold-rolled strip, 87*A*.
McLaren, P., elected Associate, 3*P*.
MacMillen, W. W., classification of scrap for electric furnaces, 104*A*.
McMullan, O. W., hardenability tests, 81*A*., 87*A*.
McPherson, D., case-hardening, 80*A*.
McQuaid, H. W. :
deoxidation of basic electric steel, 105*A*.
electric furnaces, 104*A*.
electric steel-making practice, 76*A*.
McVetty, P. G., creep of metals, 113*A*.

Madacey, Z., core-blowing practice of Caterpillar Tractor, Co., 8*A*.
Maddocks, W. R., side-blown converter practice, 354*P*.
Main, W. T., moulding of castings, 102*A*.
Majka, S., elected Member, 3*P*.
Malm, L., recuperators for furnaces, 33*A*.
Malmberg, G., effect of specimen shape in tensile tests, 160*A*.
Mann, R. C., moulding practice, 122*A*.
Marine Corrosion Sub-Committee :
Paper : "Fouling of Ships' Bottoms : Identification of Marine Growths," 143*P*.
Markson, A. A., heat transmission through boiler tubes, 96*A*.
Marriott, S. F., elected Associate, 3*P*.
Marshall, D. F., blast-furnace refractories, 428*P*.
Mason, B. :
Paper : "The Constitution of Some Basic Open-Hearth Slags," 69*P*.
FeO–Fe_2O_3–MnO–Mn_2O_3 system, 32*A*.
Mason, J. B. M., fuel-economy, 118*A*.
Masters, D. L., micro-analysis, 169*A*.
Mather, R., fuel consumption in blast-furnaces, 390*P*.
Mather, W. H., stainless steel, 26*A*.
Maude, J. H., hydraulic presses, 107*A*.
Maurer, C. A., pressure-quenching of armour plate, 48*A*.
Maurer, E., effect of elements on temper brittleness and hot brittleness of structural steel, 165*A*.
Mauzy, H. L., determination of nickel in steel, 169*A*.
Mayne, J. E. O., effect of zinc dust in paint, 29*A*.
Mebs, R. W., technical cohesive strength of metals at low temperatures, 160*A*.
Melaney, W. H., cold-blast charcoal iron, 122*A*.
Menzies-Wilson, J. R., elected Vice-President, 1*P*.
Merchant, M. E., cutting tests of metals, 158*A*.
Meyer, K., sintering of iron ore, 33*A*.
Meyersberg, G., properties of cast iron, 52*A*.
Miller, A. P., increase of steel output in America, 76*A*.
Miller, E. P., electrostatic detearing, 85*A*.
Miller, M., determination of tin, 116*A*.
Miller, P., brazing of carbide tool tips by induction heating, 17*A*.
Miller, R. F. :
effect of deoxidation on creep of molybdenum steel, 113*A*.
graphite precipitation in low-alloy steel, 164*A*.
Mitchell, D. R., cleaning of coal, 96*A*.
Mitchell, J. :
alloy steels, 89*A*.
elected Member of Council, 1*P*.
Modolell, A., effect of quenching on cast iron, 87*A*.
Mohler, F., control apparatus for steel plants, 10*A*.
Moore, D. C., elected Associate, 3*P*.
Moore, H. F., fissures in rails, 24*A*.
Moore, N. C., elected Member, 3*P*.
Moore, S., elected Member, 3*P*.
Morden, J. F. C., heat treatment of high-speed steel, 128*A*.
Morgan, T. W., welding of rolling-mill plant, 13*A*.
Morris, J. R., elected Member, 3*P*.
Morrison, A. :
measurement of exposure to gamma rays, 90*A*.
use of radium in radiography, 90*A*.
Mörtsell, S., fine screening, 138*A*.
Moses, L., plate mills rolls, 125*A*.
Mott, R. A. :
preparation of coal for analysis, 66*A*.
permeability of coke, 140*A*.
Moulding, W. E., solidification of steel castings, 103*A*.
Moxley, S. D., centrifugal casting, 145*A*.
Mucke, H., wire-drawing machines, 149*A*.
Mueller, J., design of forging dies, 107*A*.
Mueller, R. A., weldability of chromium steel tubing, 15*A*.
Müller, H. :
arc-furnace roofs, 76*A*.
behaviour of metals, under compression, 161*A*.
Müller-Berghaus, J., recuperators, 70*A*.
Mullins, L., X-ray examination, 58*A*., 167*A*.
Mumford, A. R., heat transmission through boiler tubes, 96*A*.
Mund, A., teeming through two nozzles, 42*A*.
Munger, H. P., electrotinning plant of Republic Steel Corporation, 84*A*.
Murray, W. M., jun., determination of carbon, 116*A*.

Nagy, J., explosibility of metal powders, 143*A*.
Naismith, J. A., blast-furnace practice, 455*P*.
Naujoks, W., grain flow in forgings, 78*A*.
Neuberger, A., nitrogen content of steel, 164*A*.
Neumann, G., gas producers, 34*A*.
Newlands, G. P. F., electric driving of power presses, 124*A*.
Nicholls, G. W., effect of moulding sand on quality of castings, 73*A*.
Nickel, M. E., use of high-MgO slags in blast-furnaces, 98*A*.
Nickerson, A. W., corrosion of tin cans, 136*A*.
Niebch, G., crystal recovery and recrystallisation in cold-worked metals, 59*A*.
Nixon, J. D., elected Associate, 3*P*.
Noble, R. E., plate mills, 125*A*.
Nodwell, E. M. :
measurement of exposure to gamma rays, 90*A*.
use of radium in radiography, 90*A*.
Norrö, A., atmospheres in electric furnaces and hydrogen and nitrogen contents of steel, 106*A*.
Norwood, S. M., properties of alloy steel, 57*A*.

Nurse, T. J.:
Paper: "A Study of the Surface Film on Chromium-Nickel (18/8) stainless Steel." *See* Vernon, W. H. J.
Nusbaum, R. E., briquetting of samples for spectrum analysis, 64*A*.

O'Connor, H. L., blast-furnace practice, 393*P*.
Offenberg, W., pressure-gasification of fuel with oxygen, 120*A*.
O'Hara, J. J. A., elected Member, 3*P*.
Öhman, E., carbides in iron-manganese-carbon system, 60*A*., 135*A*.
Oliver, D. A., research in British iron industry, 146*A*.
Onac, T., elected Associate, 3*P*.
O'Neil, F. W., corrosion of tin cans, 136*A*.
O'Neill, H.:
hardness of metals in relation to atomic structure, 29*A*.
welding of railway material, 13*A*.
Oshry, H. I., sampling of materials, 63*A*.

Pamely-Evans, O. G., control of furnaces, 1*A*.
Parke, R. M., distribution of molybdenum in iron-carbon-molybdenum alloys, 60*A*.
Parker, C. M., use of alloying elements in American steel industry, 114*A*.
Parker, E. A., salt-spray tests on oxide-coated sheets, 85*A*.
Parsons, C. S., metallurgical research, 89*A*.
Paschkis, V.:
electric furnaces, 80*A*.
heat flow in steel, 267*P*.
Patchett, J. H.:
break-outs in blast-furnaces, 438*P*.
fuel consumption in blast-furnaces, 384*P*.
Patterson, G. D., evaluation of corrosion-inhibitive pigments, 116*A*.
Pawlek, F., iron-silicon alloys of high initial permeability, 88*A*., 162*A*.
Payne, C. A., shrinkage and porosity in iron castings, 40*A*.
Peacock, A. S., elected Member, 3*P*.
Pearson, C. E., elected Member, 3*P*.
Peck, C. E.:
bright hardening, 81*A*.
controlled atmospheres, 109*A*.
Peirce, W. M.:
organisation of research, 89*A*.
elected Member, 3*P*.
Pellowe, E. F., elected Member, 3*P*.
Pennington, W., cupola reactions, 72*A*.
Perch, M., blast-furnace coke, 99*A*.
Perkins, J., centrifugal casting, 145*A*.
Perks, F., elected Associate, 3*P*.
Perry, W. C., metal patterns, 102*A*.
Petcher, R. D., cupola spout, 4*A*.
Peterson, A. F., history of Cornwell iron mines, Pennsylvania, 100*A*.
Pethebridge, J. M., heat treatment of high-speed steel in salt baths, 12*A*.
Petteford, C., elected Member, 3*P*.
Pettigrew, N., elected Member, 3*P*.
Petzal, H., distortion in heat-treated parts, 154*A*.
Pfister, R. J., determination of moisture in fuel gas, 117*A*.
Phillips, W., production of cast-iron pipes, 8*A*.
Phillips, W. J., water-quenching of steel castings, 154*A*.
Pigott, E. C., photoelectric colorimetry, 116*A*.
Pine, P. R., electrodeposition of nickel-iron alloys, 131*A*.
Piwowarsky, E.:
annealing of cast steel. 165*A*.
fatigue and notch sensitivity of cast iron, 53*A*.
impact properties of cast steel, 165*A*.
Pocock, P. L., hard facing, 49*A*.
Pollak, F. F., use of wetting agents in degreasing sheets, 18*A*.
Polen, L. B., deoxidation of electric furnace steel, 105*A*.
Pomp, A.:
creep of steel, 163*A*.
crystal recovery and recrystallisation in cold-worked metals, 59*A*.
effect of back pull in wire drawing, 11*A*.
effect of cold-rolling on strip, 150*A*.
effect of low-temperature annealing on elastic limit of low-carbon steel, 159*A*.
Poncelet, E. F., fracture of brittle solids, 90*A*.
Potter, A. A., corrosion of alloy steel by steam, 115*A*.
Potter, E. V., electrical devices for metallurgical research, 167*A*.
Powell, R. M., recording instruments, 79*A*.
Powell, R. W., photometer, 135*A*.
Powell, T., blast-furnace practice, 396*P*.
Pragoff, E., jun., properties of cores at high temperatures, 73*A*.
Pratt, W. N., hot pressing of metal powders, 101*A*.
Preece, A., efficiency of colliery plant, 24*A*.
Preston, J.:
steel foundry practice, 4*A*., 102*A*.
elected Associate, 3*P*.
Preston, J. A., effect of melting practice on steel, 147*A*.
Preston, R. R., wire drawing, 79*A*.
Preusch, C. D., elected Associate, 3*P*.
Price, J. D., coking of low-temperature char, 140*A*.
Prieur, G.:
supplementary heating of open-hearth checker chambers, 42*A*., 123*A*.
utilisation of waste heat, 139*A*.
Priston, H. E., quenching oils, 48*A*.
Procter, C. P., coal washing, 96*A*.
Protheroe, H. T.:
Paper: "The Influence of Melting Conditions on the Physical Properties of Steel Castings," 157*P*. *Correspondence,* 180*P*. *Author's Reply,* 181*P*.
Pryor, E. K., refractories for electric furnaces, 70*A*., 104*A*.

Pullin, V. E., radiography of welds, 89*A*.
Püngel, W., effect of carbon in steel sheets on galvanising, 131*A*.
Puzicha, W., effect of cold-rolling on strip, 111*A*., 150*A*.
Pyke, H. G., protective coatings, 130*A*.

Quinsey, W. E., atmospheric corrosion of steel buildings, 115*A*.

Raidl, F., effect of elements on chromium-bearing magnet steel, 54*A*.
Ramm, A., blowing-in of blast-furnaces, 120*A*.
Ramsburg, C. J., American coking industry, 97*A*.
Rao, N. M., elected Member, 3*P*.
Ravese, T., heat transmission through boiler tubes, 96*A*.
Reagan, M. E., control system for steel-works, 123*A*.
Reagan, W. J.:
control of phosphorus and sulphur in basic electric furnaces, 105*A*.
electric furnace practice, 9*A*.
scrap for electric furnaces, 104*A*.
Reavell, B. N., underfeed stokers, 95*A*.
Reddet, F., gas producers, 141*A*.
Rees, W. J.:
Paper: "The Bonding Properties of Mixtures of Petroleum Extracts and Linseed Oil and of the Extracts Themselves." *See* Davies, W.
Paper: "The Effect of Grain Shape on the Moulding Properties of Synthetic Moulding Sands." *See* Davies, W.
blast-furnace refractories, 398*P*., 430*P*.
Reese, D. J., duplex process for malleable cast iron, 37*A*.
Rehbinder, P. A., separation of slag inclusions, 77*A*.
Reichert, W. G., high-duty iron castings, 144*A*.
Reinius, E., reinforcement bars, 166*A*.
Reiser, G. E., lubrication of non-metallic bearings, 45*A*.
Reiss, G. R., electro-tinning plant of Republic Steel Corporation, 20*A*.
Rengering, W., reclamation of foundry sand, 145*A*.
Renkin, R. F., gas pickling of strip, 83*A*.
Reynolds, D. A., carbonising properties of coal, 97*A*.
Rice, C. J., effect of coke quality on blast-furnace operation, 2*A*.
Rice, O. R., dimensions of blast-furnaces, 35*A*.
Richard, K., creep tests, 133*A*.
Richards, C. L., control of power for rapid melting in electric furnaces, 105*A*.
Richer, G. C.:
Paper: "The Magnetisation of Polycrystalline Iron and Iron-Silicon Alloys," 93*P*.
Richmond, W., residual stresses in metals, 12*A*.
Rigby, G. R.:
action of carbon-dioxide and carbon-monoxide mixtures on fireclay, 94*A*.
hearth breakouts in blast-furnaces, 407*P*.
Riley, J. J., flash-butt welding, 110*A*.
Rimskaya, M. M., separation of slag inclusions, 77*A*.
Rist, D., elected Associate, 3*P*.
Rivers, H. M., boiler practice at Bethlehem Steel Co., 95*A*.
Rix, W., relation between weldability and wear of cutting tools, 17*A*.
Roberts, A. L., gas-fired furnaces, 108*A*.
Roberts, G. A., effect of sub-zero cooling on tempering of high-speed steel, 47*A*.
Roberts, R. R., elected Associate, 3*P*.
Robiette, A. G., induction heating, 127*A*.
Robinson, S. R., side-blown converter practice, 356*P*.
Robinson, W. N.:
plant of National Annealing Box Co., 44*A*
production of Bofors gun tables, 78*A*.
Roda, D. E., hardening of chromium-molybdenum-nickel steel, 80*A*.
Roebuck, D. W., elected Member, 3*P*.
Rolfe, R. T., manufacture of hammer heads, 89*A*.
Rollason, E. C., effect of hydrogen on weldability of alloy steel, 156*A*.
Rominski, E. A., stress relief of steel castings, 13*A*.
Ros, M.:
Arcos welding electrodes, 14*A*.
creep of steel, 26*A*.
safety factors for constructional materials, 22*A*.
strength of welded joints, 14*A*.
Sulzer cast-steel methane containers, 6*A*.
welding of structural steel, 14*A*.
Roskrow, W. J., determination of sulphur in cast iron, 170*A*.
Ross, J., British iron industry, 146*A*.
Rotter, A., phosphoric-acid contents of slags produced in pig-ore process, 147*A*.
Routledge, W., side-blown converter practice, 349*P*.
Rowe, P. W., notched-bar impact tests, 23*A*.
Rowland, E. S., cast specimens for hardenability tests, 112*A*.
Rudall, D. E., elected Associate, 3*P*.
Rudolf, H. T., carbonaceous hearths for blast-furnaces, 99*A*.
Ruffle, T. W.:
heat treatment of manganese steel castings, 153*A*.
relation of hardness to yield stress in cast steel, 133*A*.
Russell, C. C., blast-furnace coke, 99*A*.
Russell, R. S., Australian metallurgical institute, 135*A*.
Rylands, G. K., tests of wire, 52*A*.

Sachs, G., fatigue of steel tubing, 53*A*.
Sailer, F., medium-carbon low-alloy steel 27*A*.

Sajosch, H., heat treatment direct from rolling, 126*A*.
Saklatwalla, B. D., obituary notice, 475*P*.
Salkeld, A. B., forging of shells, 10*A*.
Samuels, L. E., elected Associate, 3*P*.
Sand, H. J. S., micro-analysis, 169*A*.
Sanz, M., zinc plating, 131*A*.
Sarjant, R. J. :
Paper : "Variable Heat Flow in Steel." *See* Jackson, R.
Sauerwald, F., relation between load and rate of elongation in creep tests, 88*A*.
Saunders, H. L. :
burdening of blast-furnaces, 417*P*.
fuel consumption in blast-furnaces, 392*P*.
Saunderson, J. L., spectrum analysis, 64*A*.
Sawtelle, D. F., charging of electric furnaces for rapid melting, 105*A*.
Schäfer, R., hardening of steel direct from rolling, 109*A*.
Schallbroch, H., use of paints for determining cutting temperature, 151*A*.
Schaub, C., effect of heat treatment on indurance limit of welds, 110*A*.
Scheer, W., dry-cooling of coke, 140*A*.
Scheid, A. J., jun. :
melting and oxidising materials for basic electric furnaces, 104*A*.
scrap for electric furnaces, 104*A*.
Schinn, R., properties of cast steel, 55*A*.
Schlesinger, G., wear of cylinder liners, 88*A*.
Schneider, W. K., antifouling paints, 132*A*.
Schrenk, H. H., sampling of materials, 63*A*.
Schröder, K., power stations, 118*A*.
Schroeder, W. C., prevention of caustic embrittlement, 115*A*.
Schulze-Manitius, H., screw conveyors in foundries, 103*A*.
Schuster, L., corrosion-resistance of lacquered cans, 85*A*.
Schwartz, H. A., effect of boron in malleablising, 102*A*.
Schwarz, M. W., heat transfer, 139*A*.
Scott, K. P., elected Associate, 3*P*.
Scott, W. O., properties of tool steel, 18*A*.
Scott-Maxwell, I. S. :
blast-furnace construction, 411*P*.
fuel consumption in blast-furnaces, 382*P*.
Scouse, S. J., phosphate coatings, 21*A*.
Seabloom, E. R., weldability of chromium steel tubing, 15*A*.
Seagren, G. W., antifouling paints, 132*A*.
Seaman, H., determination of copper in steel and cast iron, 65*A*.
Sefing, F. G., moulding practice, 74*A*.
Seil, G. E. :
nodulising of iron ore, 138*A*.
production of ferro-alloys, 36*A*.
Selvig, W. A., determination of volatile matter in fuel, 66*A*.
Senfter, E., insulating bricks for annealing furnaces, 95*A*.
Seyt, M., weldability of steel, 49*A*.
Shaad, G. E., induction heating, 152*A*.
Shannon, J. F., measurement of displacement and strain, 22*A*.
Sharma, K. H., elected Member, 3*P*.
Sharman, C. F., corrosion of lacquered steel, 90*A*.
Sharp, F., elected Associate, 3*P*.
Sharp, R., blast-furnace practice, 416*P*.
Sharp, R. B., elected Member, 3*P*.
Shaw, F. W., manufacture and maintenance of chains, 43*A*.
Sheer, G., electrical installation at Kaiser steel plant, 45*A*.
Shepherd, B. F., martensite in quenched steel, 81*A*.
Shore, W. J., heat and cold production, 139*A*.
Shorter, A. E., flame-hardening, 109*A*.
Sieber, C., temperature measurement, 151*A*.
Siebel, E., wear tests, 162*A*.
Siegerist, W., straightening of bars and tubes, 150*A*.
Sillifant, R. R., submerged arc welding, 157*A*.
Silman, H., metal finishing, 83*A*.
Simister, E., nitriding process, 108*A*.
Simmie, W. S., spot welding of rust-proofed sheets, 15*A*.
Simmons, A. L., S-curves, 152*A*.
Simmons, W., creep of steel, 163*A*.
Sims, C. E. :
aluminium for steelmaking, 104*A*.
deoxidation of electric furnace steel, 105*A*.
Singer, F., synthetic foundry sand, 7*A*.
Sisco, F. T., oxidising reactions in electric furnaces, 105*A*.
Slade, A. E., elected Member, 3*P*.
Sleicher, C. A., use of cement in moulding sand, 7*A*.
Sloan, C. K., evaluation of corrosion-inhibitive pigments, 116*A*.
Small, J. R., slag and oxidising materials for electric furnaces, 104*A*.
Smith, A. I., elected Associate, 3*P*.
Smith, C., moulding of pipes, 102*A*.
Smith, E. S., elected Associate, 3*P*.
Smith, G. C., elected Associate, 4*P*.
Smith, G. V., graphite precipitation in low-alloy steel, 164*A*.
Smith, H. C., elected Member, 3*P*.
Smith, H. L., bearings for rolling mills, 149*A*.
Smith, L. A., steel plant refractories, 1*A*.
Smith, P. W., elected Associate, 4*P*.
Smithells, C. J., elected Member, 3*P*.
Snyder, G. M., elected Member, 3*P*.
Snyder, T. M., use of National Emergency steel for automobile parts, 57*A*.
Sobers, W. B., analysis of iron and steel, 66*A*.
Solakian, H., heat treatment of high-speed steels, 152*A*.
Solberg, H. L., corrosion of alloy steel by steam, 115*A*.
Sommerville, J., elected Associate, 4*P*.
Sorenson, J., annealing of chromium-molybdenum-nickel steel, 128*A*.
Sorenson, V. S., surface protection of aircraft parts, 135*A*.
Sorg, C. A., powder metallurgy, 72*A*.

Sosman, R. B., pyrometry at coke-ovens, 46*A*., 99*A*.
Spaulding, R. E., peening of welds, 129*A*.
Spence, J. R., hard facing, 128*A*.
Spooner, C. E. :
determination of moisture and ash in coal, 66*A*.
organic reagents in micro-analysis, 169*A*.
preparation of coal for analysis, 66*A*.
Spraragen, W. :
effect of peening on welds, 82*A*.
properties of welded joints at low temperatures, 51*A*.
shrinkage stresses in welds, 154*A*.
Spray, S., side-blown converter practice, 350*P*.
Sprunk, G. C., carbonising properties of coal, 97*A*.
Staley, C. F., scrap charges for electric furnaces, 104*A*.
Stalker, W., elected Member, 3*P*.
Stanford, R. E. L., drawing of steel cartridge cases, 11*A*.
Stansel, N. R., three-phase arc furnace circuit, 104*A*.
Stansfield, A., obituary notice, 475*P*.
Stansfield, L., elected Associate, 4*P*.
Stanway, W., moulding of breeches pipe, 102*A*.
Stapleton, J. M., gas sampling at blast-furnaces, 99*A*.
Stedman, G. E. :
drawing of steel cartridge cases, 10*A*.
forging of bombs, 148*A*.
forging of shells, 148*A*.
wire rope, 124*A*.
Steel, G., elected Member of Council, 1*P*.
Stein, A., blast-furnace refractories, 427*P*.
Steinberg, D., nitrogen in ferro-alloys, 143*A*.
Steinberg, R. H., nitrogen in ferro-alloys, 143*A*.
Steinkamp, W. H., automatic fuel control, 96*A*.
Steudel, G. E., temperature control in blast-furnace stoves, 98*A*.
Stevenson, W. W. :
blast-furnace practice, 449*P*., 456*P*.
carbon deposition in blast-furnaces, 467*P*.
Stirewalt, C., statistical methods of quality control, 158*A*.
Stoever, H. J., heat transfer, 139*A*.
Stone, L. J., elected Associate, 4*P*.
Strassberger, J. H., feedwater treatment, 95*A*.
Strauss, J., vanadium and titanium for steelmaking, 104*A*.
Stubblefield, B. M. :
blast-furnace construction, 100*A*.
blast-furnace practice, 71*A*.
Summers, E. M., burdening of blast-furnaces, 419*P*.
Suresch, K., rolling-mill bearings, 45*A*.
Swartz, R. H., water quenching of steel castings, 153*A*.
Sweetser, R. H., charcoal pig iron, 36*A*.
Swift, H. W., pressing of sheet metals, 149*A*.
Swinden, T., obituary notice, 469*P*.
Swindin, H., treatment of waste pickling liquor, 83*A*.
Swinnerton, N. W., welding of railway material, 13*A*.
Synder, E. H., medium-carbon, low-alloy steel, 27*A*.

Take, P. H., atomic hydrogen welding, 82*A*.
Tapsell, H. J., creep of carbon steel, 88*A*.
Tarr, C. O., graphite precipitation in low-alloy steel, 164*A*.
Tatman, M. E., properties of chromium-nickel steel, 134*A*.
Taylor, A. H., elected Member, 3*P*.
Taylor, E. A., elected Associate, 4*P*.
Taylor, F., passivated zinc coatings, 19*A*.
Taylor, H. F., stress relief of steel castings, 13*A*.
Taylor, J., blast-furnace practice, 436*P*.
Taylor, J. H. :
characteristics of iron ore, 433*P*.
Northamptonshire ironstone field, 138*A*.
Taylor, J. M., elected Member, 3*P*.
Taylor, L. N., elected Member, 3*P*.
Taylor, N., elected Member, 3*P*.
Taylor, N. W., heat treatment of refractory materials, 94*A*.
Taylor, R. :
elimination of secondary radiation from radiographs, 58*A*.
radiography, 93*A*.
Texter, A. C., preparation of scrap, 104*A*.
Thomas, B., elected Hon. Member of Council, 1*P*.
Thompson, R. W., forging of metals, 124*A*.
Thompson, W. H., treatment of boiler water, 29*A*.
Thorne, F. W., fatigue of welded nickel steel, 51*A*.
Thorpe, S. H., printing from radiograph negatives, 28*A*.
Throssell, S. G., blowing of small converters, 5*A*.
Thum, A., creep tests, 133*A*.
Thurman, A. L., tube-drawing benches, 44*A*.
Tinley, E. L., underfeed stokers, 95*A*.
Tinti, R. von, properties of cast steel, 55*A*.
Todd, J. M., corrosion of benzole plant, 136*A*.
Tortise, P. H., elected Associate, 4*P*.
Touceda, E. A., obituary notice, 476*P*.
Townsend, C. W. D., use of rotary furnaces in conjunction with converters, 349*P*.
Traupel, W., heat transfer in heat exchangers, 33*A*.
Tremlett, H. F., welding of high-tensile steel, 50*A*.
Trexler, E. W., relining of blast-furnaces, 100*A*.
Trickett, J. E., underfeed stokers, 95*A*.
Trigg, H., determination of carbon, 116*A*.

Troy, E. C., deoxidation of electric steel with aluminium, 105*A*.
Tucker, A. J. P., elected Associate, 4*P*.
Tucker, R. C., cupola practice, 3*A*.
Tuplin, W. A., stress measurement, 23*A*.
Turin, J. J., gas pickling of steel, 130*A*.
Turner, T., blast-furnace practice, 384*P*.
Twiss, P. E., recording instruments, 79*A*.
Tyte, L. C., temperature indicating paints, 46*A*.

Uhlig, H. H. :
effect of hydrogen on manganese steel, 164*A*.
passivity in copper-nickel and molybdenum-nickel-iron alloys, 91*A*.
Ullmer, H., distribution systems for oxygen and acetylene, 158*A*.

Van Der Spuy, R. S., heating furnaces, 148*A*.
Van Deventer, F. M., effect of fast melting rates in electric-furnace practice on quality of steel, 105*A*.
Van Horn, K. R., X-ray examination, 58*A*.
Vanick, J. S., high-duty cast iron, 37*A*.
Vaughan, G. R., elected Associate, 4*P*.
Vaughn, F. F., induction hardening, 81*A*.
Vdovin, F., heat treatment of chromium-molybdenum steel tubes, 127*A*.
Vernon, W. H. J., F. Wormwell, and **T. J. Nurse** :
Paper : " A Study of the Surface Film on Chromium-Nickel (18/8) Stainless Steel," 81*P*.
Vevers, J., elected Member, 3*P*.
Victor, M. T., powder metallurgy, 72*A*.
Vigor, F. E., scrap situation in America, 76*A*.
Villner, L., atmospheres in electric furnaces and hydrogen and nitrogen contents of steel, 106*A*.
Villner, P. V., fine screening, 138*A*.
Vissac, G. A., coal washability curves, 96*A*.
Vivian, A. C. :
conception of the term " strength," 159*A*.
interpretation of test results, 110*A*.
physical metallurgy of metals, 28*A*.
Vologdin, V., induction hardening of rails, 109*A*.
Voorhees, H. B., mould drying with infra-red lamps, 75*A*.
Vosburgh, F. J. :
effect of carbon rods in risers on shrinkage cavity in steel castings, 40*A*.
electric-furnace electrodes, 104*A*.
temperature gradients through blast-furnace linings, 98*A*.

Wade, H. H., screening of Lake Superior ore, 99*A*.
Wagstaff, J. B. :
Paper : " Variable Heat Flow in Steel." *See* Jackson, R.
Walker, H. L., heat treatment of steel, 151*A*.
Walker, J. E., desulphurisation of pig iron, 98*A*.
Walker, P., blast-furnace practice, 435*P*.
Walker, P. M., plating of metals, 21*A*.
Walker, R., elected Member, 3*P*.
Wallbank, A. W., electrodeposition, 18*A*.
Walshaw, G. R., blast-furnace practice, 454*P*.
Walters, W. D., time required in pattern making, 74*A*.
Walther, H. F., basic electric practice, 77*A*.
Ward, S. G. :
blast-furnace practice, 437*P*.
fuel consumption in blast-furnaces, 385*P*.
Ward, S. J. H., elected Member, 3*P*.
Watkins, A. C., blast-furnace practice, 457*P*.
Watkinson, E., direct-fired air heaters, 96*A*.
Watson, T. T., plate rolling practice, 125*A*.
Weekes, N. E., costing in foundries, 103*A*.
Weisberg, M., salt-spray tests on oxide-coated sheets, 85*A*.
Weissler, A., determination of germanium in steel, 170*A*.
Welchner, J., graphite in carburised cases, 81*A*.
Wellauer, E. J., welding of steel castings, 129*A*.
Wentrup, H., oxide impurities thrown out in teeming steel, 106*A*.
Werner, O., fissures in welds, 51*A*.
Wernick, S., electrolytic polishing, 167*A*.
West, T. D., addition of ore and scale in electric furnace practice, 105*A*.
Westland, E. G., elected Associate, 4*P*.
Westman, E. B., obituary notice, 476*P*.
Whalen, G., elected Member, 3*P*.
Whalen, W., chromium plating of tools, 83*A*.
Wheeler, J. A. :
cracks in welds, 155*A*.
stresses in butt welds, 155*A*.
Wheldon, M. M., production of high-sulphur iron, 98*A*.
Whincup, N., wire rope, 87*A*.
White, G. L., foundry plant of Dominion Engineering Works, Ltd., 75*A*.
Whitehouse, H. E., protective paints, 30*A*.
Whiteley, J. H., side-blown converter practice, 350*P*.
Whitfield, R., metallurgical furnaces, 33*A*.
Whitney, H. L., American electric steel industry, 105*A*.
Wilbur, J. F., use of pitch in open-hearth furnaces, 33*A*.
Wilcox, R. J., stopping the boil in electric furnace practice, 105*A*.
Wilcoxson, L. S., pulverised-coal firing, 139*A*.
Wilkie, G., underfeed stokers, 95*A*.
Wilkin, D. B., upset forging, 78*A*.
Wilkinson, D. H., elected Associate, 4*P*.
Willey, E. J., elected Member, 3*P*.
Williams, C. B., efficient operation of electric furnaces, 105*A*.

Williams, C. H., underfeed stokers, 95*A*.
Williams, E. R., continuous casting, 40*A*.
Williams, G. T. :
blast-furnace practice, 71*A*.
failure of blast-furnace stove shells, 98*A*.
flame hardening, 81*A*.
grading of iron ore, 99*A*.
Williams, H. T., analysis of blast-furnace slag, 116*A*.
Williams, J. H. G., acid electric-furnace practice, 105*A*.
Williams, L. F., meehanite castings *versus* welded structures, 122*A*.
Williams, S. V., powder metallurgy, 37*A*.
Williams, T., elected Associate, 4*P*.
Williamson, A. J. :
fatigue of welded tubes, 50*A*.
National Emergency steel, 57*A*.
Willis, J. G., ductile weld metal, 14*A*.
Wilms, O. H., effect of elements on temper brittleness and hot brittleness of structural steel, 165*A*.
Wilson, B. L., Tuckerman strain gauge, 162*A*.
Wilson, K., adherence of sprayed metals, 22*A*., 132*A*.
Wilson, T. B., underfeed stokers, 95*A*.
Wilson, W., electron microscope, 58*A*.
Wilson, W. M., fatigue of welds, 50*A*., 156*A*.
Winder, Sir A., elected Hon. Vice-President, 1*P*.
Winning, J., photomicrography, 89*A*.
Winterton, K. :
crack-resistance of austenitic welds, 155*A*.
cracks in welds, 155*A*.
stresses in butt-welds, 155*A*.
Wittenberg, H., sintering of iron ore, 33*A*.
Wlodek, T. W., magnetic tests of steel, 25*A*.
Woldman, N. E., National Emergency steel, 114*A*.
Wolter, A. M., costing in iron and steel works, 78*A*.
Wood, A., layout of jobbing foundry, 7*A*.
Wood, D. R., elected Associate, 4*P*.
Wood, W. A., study of internal stress by X-ray diffraction, 28*A*.
Woody, G. V., coking of low-temperature char, 140*A*.
Wormwell, F. :
Paper : "A Study of the Surface Film of Chromium-Nickel (18/8) Stainless Steel." *See* Vernon, W. H. J.
Worner, H. W., steel cartridge cases, 107*A*.
Wrazej, W. J., tessellated stresses, 207*P*.
Wright, E. C. :
killed Bessemer steel, 146*A*.
open-hearth practice, 76*A*.
properties of tube steel at high temperatures, 26*A*.
Wright, L. F., fuel consumption in blast furnaces, 391*P*.
Wyman, C. L., concentration of iron ore, 99*A*.
Wyman, L. L., precision castings, 39*A*.

Yates, F. S., elected Associate, 4*P*.
Yellin, H., determination of nickel in steel, 169*A*.
Young, G. A., breakouts in blast-furnaces, 415*A*.
Young, G. H. :
anti-corrosive paints, 334*P*.
antifouling paints, 132*A*.
Young, L. G., spectrochemical analysis of steel, 169*A*.
Younkins, J. A., coal washing, 96*A*.

Zener, C., plastic flow and rupture of metals, 53*A*.
Zang, V. E., use of scrap in electric furnaces, 9*A*.
Zapffe, C., iron or in Washington, 138*A*.
Zehner, J. C., antifouling paints, 132*A*.
Zerfoss, S., heat treatment of refractory materials, 94*A*.
Zherebin, B., blast-furnace operation, 100*A*.